

BUNDY



Chicago  
Metallic

# Chicago Metallic Bakeware

Commercial Baking Pans



2017



# Company

Bundy Promise ..... 5

Quality, Service, &  
Customized Solutions ..... 6

World-Class Pan Coatings ..... 7

# Products

Sheet Pans ..... 8-11

Cupcake & Muffin Pans ..... 12-17

Bun & Roll Pans ..... 18-19

Bread & Baguette Pans ..... 20-23

Specialty Bread Pans ..... 24-25

Pizza Pans ..... 26-27

Cake & Pie Pans ..... 28-31

Professional Bakeware ..... 32-35

Accessories ..... 36-37

Use & Care ..... 38

Product Index ..... 39





# NSF STAYFLAT<sup>®</sup> SHEET PANS

Chicago Metallic is excited to introduce the world's first sheet pans with the strength of a completely enclosed pan rim and a certification by NSF International. In addition to meeting strict safety and quality standards established by this trusted global authority, this groundbreaking pan features StayFlat<sup>®</sup> technology that dramatically increases pan strength and longevity. See page 8 for all of our NSF certified sheet pans.



**NSF**<sup>®</sup>



# Bakeware Innovation: The Chicago Metallic Story

**For more than a century, the Chicago Metallic name has been synonymous with innovative products, superior quality, and exceptional service. Today, we manufacture more than 300 different baking pans and ship to customers worldwide—typically within 48 hours.**



## Quality

- **Biggest inventory:**  
We maintain the world's largest inventory, so you can get the products you need without delay.
- **Best coatings:**  
Our proprietary coatings outperform everything else on the market.
- **Superior performance:**  
Our materials and coatings provide unmatched durability and strength, and we continually innovate to make products safer, more sanitary, and environmentally sound.



## Expertise

- **Deep experience:**  
We began creating quality bakeware in 1898—and have continually innovated and enhanced for more than a century.
- **Precision manufacturing:**  
All Chicago Metallic products are designed and manufactured in our U.S. facilities for unmatched quality control.
- **Custom solutions:**  
Need something unique? We'll create custom pans to meet your exact specifications and supply chain needs.



## Service

- **Delivery on demand:**  
We stock vast inventory, so most orders ship within 24 to 48 hours.
- **Outstanding service:**  
Chicago Metallic is a family-owned company, and our deep passion for the baking industry is matched only by our commitment to exceptional service.
- **Guaranteed satisfaction:**  
In addition to the confidence of working with the world's largest baking pan manufacturer, you can enjoy the peace of mind that comes with knowing your satisfaction is 100% guaranteed.



# The Bundy Promise

## **We Promise Fairness**

We treat all customers fairly through our pricing, product guarantees, and service.

## **We Promise Responsiveness**

We respond to the needs of our customers—and the industry overall—in a timely and professional manner.

## **We Promise Intelligence**

We offer products and services designed to provide intelligent solutions to our customers' challenges, and we continue to innovate and advance through reinvestment in our brands.

## **We Promise Quality**

We are passionate about quality, design, and precision. We manufacture our products to exacting standards and stand behind everything we sell.

## **We Promise Integrity**

Our brands are rooted in honesty, trust, and respect, and these values guide everything we do.

For more than 50 years, Bundy Baking Solutions has driven innovation and excellence to exceed customer expectations. Today, our family-owned company remains committed to providing complete satisfaction for every customer, with every order, and in every interaction with our team. We are not satisfied until you are 100% satisfied.

**THAT'S THE BUNDY PROMISE.**





# Quality, Service, & Customized Solutions

## Custom Pan Manufacturing

Need custom pan sizes, mould designs, or configurations? Chicago Metallic can design a pan to meet your specific baking needs. Minimum order quantities are as low as 250 on most pans (500 for single bread and cake pans). Contact us at 1.800.323.3966, Ext. 130 or [customerservice@cmbakeware.com](mailto:customerservice@cmbakeware.com) for more information.

We can create pans to your specifications including:


- Overall pan size and mould arrangements and dimensions
- Unique mould designs for signature products
- Pan materials – aluminum, aluminized steel, stainless steel, anodized aluminum, etc.
- Pan coatings – AMERICOAT® ePlus glaze, OptiShield® liquid dispersion coating, or DuraShield® non-stick coating in standard or custom colors

## Export Ready

The Chicago Metallic warehouse is fully stocked with inventory ready to ship worldwide. To order, simply email your requests to [customerservice@cmbakeware.com](mailto:customerservice@cmbakeware.com) or contact Customer Service directly. Our North America toll-free number is 1.800.323.3966, Ext. 130 and our direct line is 1.731.824.4130. You can also visit us on the web at [cmbakeware.com](http://cmbakeware.com).

## Pan Glo® Pan Recoating Service

Even with proper care and cleaning, your pans will eventually need to be refurbished. That is why we offer the Pan Glo® process. Every year, millions of baking pans of every shape, size, brand, and configuration are processed by Pan Glo® plants across North America, South America, and Europe. These cleaned and freshly reglazed pans are returned to productivity with improved release characteristics. For more information on our Pan Glo® services, call 1.800.652.2151 or visit our website at [pan-glo.com](http://pan-glo.com).



# World-Class Pan Coatings

## Pan Coatings

Chicago Metallic offers different coatings to meet your production needs or preference. Below is a table showing the basic differences between our standard pan coatings. Coatings can also be tinted for easy, at-a-glance identification, or pans can be stamped with an identifying label. More information can be found on our website, [cmbakeware.com](http://cmbakeware.com). Please note, while nearly all of our glazed pans are stock items, most DuraShield® and all OptiShield® coated pans would require a custom order with minimum order quantities. (see Custom Pan Manufacturing, page 6)

**We can stamp your pans with an appropriate label, or use tinted coating to color-code pans for even easier, at-a-glance identification.**

| Pan Coating                   | Release Mechanism               | Standard Color   | Other Color(s) Available | Approx. # Releases* | Oil Usage Reduction | Dishwasher Safe | PFOA Free | FDA Conformity | Re-coating Available |
|-------------------------------|---------------------------------|------------------|--------------------------|---------------------|---------------------|-----------------|-----------|----------------|----------------------|
| AMERICOAT® ePlus              | Silicone                        | Clear            | Yes                      | 600                 | Up to 50%           | No              | Yes       | Yes            | Yes                  |
| OptiShield®                   | Liquid Dispersion Fluoropolymer | Grey/Black       | Yes                      | 1500                | Up to 75%           | Yes             | Yes       | Yes            | Yes                  |
| DuraShield® Non-Stick Coating | Fluoropolymer                   | Dark Green/Black | Yes                      | 3500                | Up to 100%          | Yes             | Yes       | Yes            | Yes                  |





# Sheet Pans

**NSF**<sup>®</sup>

## NSF StayFlat<sup>®</sup> Sheet Pans Aluminum

| Item #    |        |             | Description                          | Weight Each, lb. | Overall Size, in.   |
|-----------|--------|-------------|--------------------------------------|------------------|---|
| Plain     | Glazed | DuraShield® |                                      |                  |   |
| Full Size |        |             |                                      |                  |   |
| 30694     | ————   | 30698       | 16 gauge, band in rim, NSF Certified | 4.0              | 17 <sup>13</sup> / <sub>16</sub> x 25 <sup>13</sup> / <sub>16</sub> x 1 |
| Half-Size |        |             |                                      |                  |   |
| 30850     | ————   | 30858       | 18 gauge, band in rim, NSF Certified | 1.9              | 12 <sup>13</sup> / <sub>16</sub> x 17 <sup>13</sup> / <sub>16</sub> x 1 |

## STAYFLAT<sup>®</sup> SHEET PANS

Our StayFlat<sup>®</sup> Sheet Pan technology increases the strength and longevity of sheet pans. The reinforced sides prevent flaring and increase the overall strength of the pan, while the tensioned arch in the bottom keeps the pan flat when heated. (Patent Pending)



As part of our commitment to continuous improvement, throughout 2017 we have upgraded several of our standard sheet pans to the StayFlat<sup>®</sup> design. Note there is no difference in price of the previous design and the StayFlat<sup>®</sup> versions of the sheet pan.

| Old # | StayFlat <sup>®</sup> # | Old # | StayFlat <sup>®</sup> # |
|-------|-------------------------|-------|-------------------------|
| 40690 | 40694                   | 44801 | 50801                   |
| 40695 | 40698                   | 44697 | 44699                   |
| 40800 | 40804                   | 44691 | 44690                   |
| 40805 | 40808                   | 44890 | 44891                   |
| 40691 | 50691                   | 44895 | 44896                   |



## Full-Size Sheet Pan Identification Guide

Our item # stamping system allows for easy reordering of any of our Full-Size sheet pans. Check the back of your sheet pan for one of these numbers and then choose the appropriate item number based on your preferred coating option.

| Stamp # | Items with this Stamp | Stamp # | Items with this Stamp   |
|---------|-----------------------|---------|-------------------------|
| 4069X   | 40690 / 40695         | 4069XS  | StayFlat® 40694 / 40698 |
| 4080X   | 40800 / 40805         | 4080XS  | StayFlat® 40804 / 40808 |
| 4469X   | 44697 / 44691         | 4469XS  | StayFlat® 44699 / 44690 |
| 4489X   | 44890 / 44895         | 4489XS  | StayFlat® 44891 / 44896 |
| 4490X   | 40904 / 40908         | _____   | _____                   |

4069X

## StayFlat® Full-Size Sheet Pans Aluminum

| Item # |        |             | Description  | Weight Each, lb. | Overall Size, in.   |
|--------|--------|-------------|--|------------------|---|
| Plain  | Glazed | DuraShield® |  |                  |   |
| 40694  | 40698  | 50691       | 16 gauge, wire in rim                                    | 4.0              | 17 <sup>7</sup> / <sub>8</sub> x 25 <sup>7</sup> / <sub>8</sub> x 1 |
| 40804  | 40808  | 50801       | 18 gauge, wire in rim                                    | 3.8              | 17 <sup>7</sup> / <sub>8</sub> x 25 <sup>7</sup> / <sub>8</sub> x 1 |
| 40904  | 40908  | _____       | 20 gauge, wire in rim                                    | 3.3              | 17 <sup>7</sup> / <sub>8</sub> x 25 <sup>7</sup> / <sub>8</sub> x 1 |
| 44699  | 44690  | 54699       | 16 gauge, .081" diameter bottom perforation, wire in rim | 3.5              | 17 <sup>7</sup> / <sub>8</sub> x 25 <sup>7</sup> / <sub>8</sub> x 1 |
| 44891  | 44896  | _____       | 18 gauge, .125" diameter bottom perforation, wire in rim | 2.9              | 17 <sup>7</sup> / <sub>8</sub> x 25 <sup>7</sup> / <sub>8</sub> x 1 |



## Full-Size Sheet Pans

| Item #                |        | Description  | Weight Each, lb. | Overall Size, in.   |
|-----------------------|--------|--|------------------|---|
| Plain                 | Glazed |  |                  |   |
| Aluminum              |        |  |                  |   |
| 40600                 | 40605  | 12 gauge, sanitary open bead, semi-curved rim      | 4.3              | 17 <sup>13</sup> <sub>16</sub> x 25 <sup>13</sup> <sub>16</sub> x 1 <sup>15</sup> <sub>16</sub> |
| Perforated Aluminum   |        |  |                  |   |
| ————                  | 44692  | 16 gauge, wire in rim, .09375" perforated all over | 3.1              | 17 <sup>13</sup> <sub>16</sub> x 25 <sup>13</sup> <sub>16</sub> x 1 <sup>3</sup> <sub>32</sub>  |
| BÄKALON               |        |  |                  |   |
| 44693                 | 44694  | 16 gauge hard anodized aluminum, wire in rim       | 3.4              | 17 <sup>13</sup> <sub>16</sub> x 25 <sup>13</sup> <sub>16</sub> x 1 <sup>3</sup> <sub>32</sub>  |
| Aluminized Steel      |        |  |                  |   |
| ————                  | 41031  | 22 gauge, band in rim                              | 7.2              | 17 <sup>11</sup> <sub>16</sub> x 25 <sup>11</sup> <sub>16</sub> x 1 <sup>3</sup> <sub>32</sub>  |
| ————                  | 41555  | 22 gauge, wire in rim                              | 5.6              | 17 <sup>11</sup> <sub>16</sub> x 25 <sup>11</sup> <sub>16</sub> x 1 <sup>3</sup> <sub>32</sub>  |
| Stainless Steel (304) |        |  |                  |   |
| 40700                 | ————   | .036", sanitary open, semi-curved rim              | 5.4              | 17 <sup>13</sup> <sub>16</sub> x 25 <sup>13</sup> <sub>16</sub> x 1                             |



## DuraShield® & OptiShield®

Our dark non-stick coating options can virtually eliminate the need for oiling pans or using parchment paper. Ask your rep about stock and custom pans with one of these coatings.



# Sheet Pans

## Three Quarter-Size Sheet Pan



| Item # |        | Description                    | Weight Each, lb. | Overall Size, in.   |
|--------|--------|--------------------------------|------------------|---|
| Plain  | Glazed |                                |                  |   |
| 41500  | 41505  | 18 gauge aluminum, wire in rim | 2.6              | 15 <sup>7</sup> / <sub>8</sub> x 21 <sup>7</sup> / <sub>8</sub> x 1 |

## Half-Size Sheet Pans

See Bundy Professional Bakeware on page 32 for additional pan options



| Item #                                      |        | Description   | Weight Each, lb. | Overall Size, in.  |
|---|--------|---|------------------|--|
| Plain                                       | Glazed |   |                  |  |
| Aluminum                                    |        |   |                  |  |
| 40850                                       | 40855  | 18 gauge, wire in rim   | 2.1              | 12 <sup>7</sup> / <sub>8</sub> x 17 <sup>3</sup> / <sub>4</sub> x 3 <sup>1</sup> / <sub>32</sub>   |
| 40950                                       | 40955  | 14 gauge, sanitary open, semi-curved rim                            | 1.7              | 12 <sup>7</sup> / <sub>8</sub> x 17 <sup>3</sup> / <sub>4</sub> x 1                                |
| Aluminum with DuraShield® Non-Stick Coating |        |   |                  |  |
| ———   | 40858  | 18 gauge, wire in rim   | 1.9              | 12 <sup>7</sup> / <sub>8</sub> x 17 <sup>13</sup> / <sub>16</sub> x 3 <sup>1</sup> / <sub>32</sub> |
| BĀKALON                                     |        |   |                  |  |
| 40952                                       | 40954  | 14 gauge hardcoat anodized aluminum, sanitary open, semi-curved rim | 1.7              | 12 <sup>7</sup> / <sub>8</sub> x 17 <sup>13</sup> / <sub>16</sub> x 1                              |
| Perforated Aluminum                         |        |   |                  |  |
| 40857                                       | 40851  | 18 gauge, wire in rim, perforated bottom only                       | 1.9              | 12 <sup>7</sup> / <sub>8</sub> x 17 <sup>13</sup> / <sub>16</sub> x 3 <sup>1</sup> / <sub>32</sub> |

## Quarter-Size Sheet Pans

Curled rim, no wire; See Bundy Professional Bakeware on page 32 for additional pan options



| Item #   |        | Description                                     | Weight Each, lb. | Overall Size, in. |
|----------|--------|---|------------------|-------------------|
| Plain    | Glazed |   |                  |                   |
| Aluminum |        |   |                  |                   |
| 40450    | 40455  | 16 gauge, curled rim                            | 0.8              | 9½ x 13 x 1⅙      |
| BĀKALON  |        |   |                  |                   |
| 40452    | 40454  | 16 gauge hardcoat anodized aluminum, curled rim | 0.8              | 9½ x 13 x 1⅙      |


## Eighth-Size Sheet Pans

Curled rim, no wire



| Item #   |        | Description                                     | Weight Each, lb. | Overall Size, in. |
|----------|--------|---|------------------|-------------------|
| Plain    | Glazed |   |                  |                   |
| Aluminum |        |   |                  |                   |
| 41800    | 41805  | 16 gauge, curled rim, no wire                   | 0.4              | 6½ x 9½ x 1⅙      |
| BĀKALON  |        |   |                  |                   |
| 41852    | 41854  | 16 gauge hardcoat anodized aluminum, curled rim | 0.4              | 6½ x 9½ x 1⅙      |

## BĀKALON Diamond Grill Pan




| Item # |        | Description                         | Weight Each, lb. | Overall Size, in.  |
|--------|--------|-------------------------------------|------------------|--|
| Plain  | Glazed |                                     |                  |  |
| 70821  | 70824  | 16 gauge hardcoat anodized aluminum | 0.8              | 8 <sup>1</sup> / <sub>2</sub> x 11 <sup>1</sup> / <sub>2</sub> x 1 <sup>13</sup> / <sub>16</sub> |



## Display Pans Anodized aluminum

| Item # |       |        | Description                         | Weight Each, lb. | Overall Size, in.  |
|--------|-------|--------|-------------------------------------|------------------|--|
| Plain  | Gold  | Silver |                                     |                  |  |
| *40912 | 40910 | 40917  | 16 gauge, textured, semi-closed rim | 2.6              | 17 <sup>13</sup> / <sub>16</sub> x 25 <sup>13</sup> / <sub>16</sub> x 1 <sup>3</sup> / <sub>32</sub> |
| *40922 | 40920 | 40927  | 16 gauge, textured, semi-curved rim | 1.3              | 9 x 26 x 1   |
| ————   | 40930 | ————   | 16 gauge, textured, semi-closed rim | 1.2              | 12 x 18 x 1  |
| ————   | 40940 | 40947  | 16 gauge, textured, semi-closed rim | 0.8              | 9 <sup>1</sup> / <sub>2</sub> x 13 x 1 <sup>13</sup> / <sub>16</sub>                                 |



\*Plain pans are made from non-textured aluminum

## Perforated Baking Sheets/Bagel Screens Aluminum

| Item #   |        |             | Description   | Weight Each, lb. | Overall Size, in.  |
|--|--------|-------------|---|------------------|--|
| Plain  | Glazed | DuraShield® |   |                  |  |
| Swedish Style, Unperforated Margins                            |        |             |   |                  |  |
| ————   | 44850  | ————        | 12 gauge, hemmed sides, .081" perforation             | 3.0              | 17 <sup>13</sup> <sub>16</sub> x 25 <sup>13</sup> <sub>16</sub> x 2 <sup>1</sup> <sub>32</sub> |
| ————   | 45135  | 45138       | 14 gauge, embossed side ribs, .094" perforation       | 2.3              | 18 x 25 <sup>15</sup> <sub>16</sub> x 5 <sup>5</sup> <sub>16</sub>                             |
| Cookie Sheet Style, Unperforated Margins with Seamless Corners |        |             |   |                  |  |
| 44801  | 44800  | 44808       | 16 gauge, wire in rim, .081" perforation, bottom only | 3.9              | 17 <sup>13</sup> <sub>16</sub> x 25 <sup>13</sup> <sub>16</sub> x 3 <sup>3</sup> <sub>16</sub> |
| StayFlat® Perforated Sheet Pans                                |        |             |   |                  |  |
| 44699  | 44690  | ————        | 16 gauge, wire in rim, .081" perforated bottom        | 3.5              | 17 <sup>7</sup> <sub>8</sub> x 25 <sup>7</sup> <sub>8</sub> x 1                                |
| 44891  | 44896  | ————        | 18 gauge, wire in rim, .125" perforated bottom        | 2.9              | 17 <sup>7</sup> <sub>8</sub> x 25 <sup>7</sup> <sub>8</sub> x 1                                |



## Allergen Management Sheet Pans Aluminum with 265U purple colored DuraShield® non-stick coating

| Item #      | Description                      | Weight Each, lb. | Overall Size, in.  |
|-------------|----------------------------------|------------------|--|
| DuraShield® |                                  |                  |  |
| 60690       | Full size, 16 gauge, wire in rim | 4.1              | 17 <sup>13</sup> / <sub>16</sub> x 25 <sup>13</sup> / <sub>16</sub> x 1 <sup>3</sup> / <sub>32</sub> |
| 60800       | Full size, 18 gauge, wire in rim | 3.7              | 17 <sup>13</sup> / <sub>16</sub> x 25 <sup>13</sup> / <sub>16</sub> x 1 <sup>3</sup> / <sub>32</sub> |
| 60850       | Half size, 18 gauge, wire in rim | 2.0              | 12 <sup>13</sup> / <sub>16</sub> x 17 <sup>13</sup> / <sub>16</sub> x 1                              |




# Allergen Management Bakeware

Managing food-related allergens is an issue that bakery and food service operations are required to address. When dealing with customers diagnosed with food allergies, careful attention to food preparation and communication is a necessity. It is also a major business decision that can draw loyal customers. Chicago Metallic is excited to offer our new collection of color-coded DuraShield® 265U coated pans to help your operation more safely and efficiently produce allergen-free alternatives for your customers.

# Cupcake & Muffin Pans

## Mini-Fluted Cake Pans Aluminized steel



| Item # | Description                        | Arrangement | Vol., oz. | Mould Dimensions, in. |                 |                  | Centers, in.    |                  | Weight Each, lb. | Overall Size, in.                   |
|--------|------------------------------------|-------------|-----------|-----------------------|-----------------|------------------|-----------------|------------------|------------------|-------------------------------------|
|        |                                    |             |           | Top (A)               | Btm. Out. (B)   | Depth (C)        | L               | W                |                  |                                     |
| 26200  | 26 gauge, wire in rim without tube | 4 rows of 3 | 3.0       | 2 $\frac{3}{4}$       | 2 $\frac{5}{8}$ | 1 $\frac{1}{4}$  | 3 $\frac{1}{3}$ | 3 $\frac{5}{16}$ | 2.2              | 11 $\frac{1}{8}$ x 15 $\frac{3}{4}$ |
| 43055  | 22 gauge, wire in rim with tube    | 3 rows of 5 | 7.5       | 3 $\frac{15}{16}$     | 3               | 1 $\frac{1}{16}$ | 4 $\frac{5}{8}$ | 4 $\frac{7}{8}$  | 9.6              | 17 $\frac{7}{8}$ x 25 $\frac{7}{8}$ |

Volume (Vol.) indicates liquid volume of mould when filled to brim. Use 60-70% to estimate actual batter weight.


## Mini-Crown Muffin Pans

Available exclusively from Chicago Metallic, **Mini-Crown Muffin Pans** offer a unique and profitable way to address consumers' increasing focus on health and convenience. These pans produce an appealing, cupcake-like crown, while using 20% less batter.



## Mini-Muffin Pans Aluminized steel


| Item # | Description                           | Arrangement | Vol., oz. | Mould Dimensions, in. |                 |                 | Centers, in.    |                 | Weight Each, lb. | Overall Size, in.                   |
|--------|---------------------------------------|-------------|-----------|-----------------------|-----------------|-----------------|-----------------|-----------------|------------------|-------------------------------------|
|        |                                       |             |           | Top (A)               | Btm. Out. (B)   | Depth (C)       | L               | W               |                  |                                     |
| 45195  | 22 gauge, square corners, wire in rim | 5 rows of 6 | 1.1       | 1 $\frac{7}{8}$       | 1 $\frac{1}{4}$ | $\frac{7}{8}$   | 2 $\frac{3}{4}$ | 2 $\frac{1}{4}$ | 4.5              | 12 $\frac{7}{8}$ x 17 $\frac{7}{8}$ |
| 45295  | 22 gauge, wire in rim                 | 6 rows of 8 | 1.1       | 1 $\frac{7}{8}$       | 1 $\frac{1}{4}$ | $\frac{7}{8}$   | 2 $\frac{3}{4}$ | 2 $\frac{1}{4}$ | 8.5              | 17 $\frac{7}{8}$ x 25 $\frac{7}{8}$ |
| 45245  | 26 gauge, wire in rim                 | 4 rows of 6 | 2.1       | 2 $\frac{1}{16}$      | 1 $\frac{5}{8}$ | 1 $\frac{1}{8}$ | 2 $\frac{3}{4}$ | 2 $\frac{3}{4}$ | 4.0              | 12 $\frac{7}{8}$ x 17 $\frac{7}{8}$ |
| 45255  | 26 gauge, wire in rim                 | 6 rows of 8 | 2.1       | 2 $\frac{1}{16}$      | 1 $\frac{5}{8}$ | 1 $\frac{1}{8}$ | 2 $\frac{3}{4}$ | 2 $\frac{3}{4}$ | 7.3              | 17 $\frac{7}{8}$ x 25 $\frac{7}{8}$ |



Volume (Vol.) indicates liquid volume of mould when filled to brim. Use 60-70% to estimate actual batter weight.

## Mini-Crown Muffin Pans Aluminized steel


| Item # | Description                           | Arrangement | Vol., oz. | Mould Dimensions, in. |                 |                  | Centers, in.     |                  | Weight Each, lb. | Overall Size, in.                     |
|--------|---------------------------------------|-------------|-----------|-----------------------|-----------------|------------------|------------------|------------------|------------------|---------------------------------------|
|        |                                       |             |           | Top (A)               | Btm. Out. (B)   | Depth (C)        | L                | W                |                  |                                       |
| 42754  | 26 gauge, wire in rim                 | 3 rows of 4 | 3.0       | 2 $\frac{3}{4}$       | 1 $\frac{5}{8}$ | 1 $\frac{1}{32}$ | 3 $\frac{5}{16}$ | 3 $\frac{5}{16}$ | 2.0              | 10 $\frac{5}{8}$ x 13 $\frac{3}{8}$   |
| 42755  | 26 gauge, wire in rim                 | 4 rows of 6 | 3.0       | 2 $\frac{3}{4}$       | 1 $\frac{5}{8}$ | 1 $\frac{1}{32}$ | 3 $\frac{5}{16}$ | 3 $\frac{5}{16}$ | 4.8              | 14 $\frac{1}{16}$ x 20 $\frac{1}{16}$ |
| 42756  | 26 gauge, square corners, wire in rim | 5 rows of 7 | 3.0       | 2 $\frac{3}{4}$       | 1 $\frac{5}{8}$ | 1 $\frac{1}{32}$ | 3 $\frac{5}{16}$ | 3 $\frac{5}{16}$ | 6.5              | 17 $\frac{7}{8}$ x 25 $\frac{7}{8}$   |



Volume (Vol.) indicates liquid volume of mould when filled to brim. Use 60-70% to estimate actual batter weight.

## Cupcake/Muffin Pans Aluminized steel


| Item # |             | Description                                 | Arrangement | Vol., oz. | Mould Dimensions, in. |                  |                 | Centers, in.     |                  | Weight Each, lb. | Overall Size, in.                     |
|--------|-------------|---|-------------|-----------|-----------------------|------------------|-----------------|------------------|------------------|------------------|---------------------------------------|
| Glazed | DuraShield® |   |             |           | Top (A)               | Btm. Out. (B)    | Depth (C)       | L                | W                |                  |                                       |
| 45125  | 45128       | 22 gauge panel, 26 gauge moulds, curled rim | 3 rows of 4 | 3.8       | 2 $\frac{3}{4}$       | 2 $\frac{1}{16}$ | 1 $\frac{3}{8}$ | 3 $\frac{5}{16}$ | 3 $\frac{5}{16}$ | 2.3              | 11 $\frac{1}{8}$ x 15 $\frac{3}{4}$   |
| 45225  | ————        | 26 gauge, wire in rim                       | 3 rows of 4 | 3.8       | 2 $\frac{3}{4}$       | 2 $\frac{1}{16}$ | 1 $\frac{3}{8}$ | 4                | 4                | 3.8              | 12 $\frac{7}{8}$ x 17 $\frac{7}{8}$   |
| 45525  | ————        | 26 gauge, square corner, wire in rim        | 4 rows of 6 | 3.8       | 2 $\frac{3}{4}$       | 2 $\frac{1}{16}$ | 1 $\frac{3}{8}$ | 3 $\frac{5}{16}$ | 3 $\frac{5}{16}$ | 5.2              | 14 $\frac{1}{16}$ x 20 $\frac{1}{16}$ |
| 45575  | ————        | 26 gauge, wire in rim                       | 5 rows of 7 | 3.8       | 2 $\frac{3}{4}$       | 2 $\frac{1}{16}$ | 1 $\frac{3}{8}$ | 3 $\frac{5}{16}$ | 3 $\frac{5}{16}$ | 7.3              | 17 $\frac{7}{8}$ x 25 $\frac{7}{8}$   |
| 45605  | ————        | 26 gauge, wire in rim                       | 4 rows of 6 | 3.8       | 2 $\frac{3}{4}$       | 2 $\frac{1}{16}$ | 1 $\frac{3}{8}$ | 4                | 4                | 6.5              | 17 $\frac{7}{8}$ x 25 $\frac{7}{8}$   |



Volume (Vol.) indicates liquid volume of mould when filled to brim. Use 60-70% to estimate actual batter weight.

## Cupcake Pans Aluminum

| Item # |        | Description                          | Arrangement | Vol., oz. | Mould Dimensions, in. |                  |                 | Centers, in.     |                  | Weight Each, lb. | Overall Size, in.                   |
|--------|--------|--------------------------------------|-------------|-----------|-----------------------|------------------|-----------------|------------------|------------------|------------------|-------------------------------------|
| Plain  | Glazed |                                      |             |           | Top (A)               | Btm. Out. (B)    | Depth (C)       | L                | W                |                  |                                     |
| 46120  | 46125  | 20 gauge, square corner, wire in rim | 3 rows of 4 | 3.8       | 2 $\frac{3}{4}$       | 2 $\frac{1}{16}$ | 1 $\frac{3}{8}$ | 3 $\frac{5}{16}$ | 3 $\frac{5}{16}$ | 2.0              | 10 $\frac{3}{4}$ x 14 $\frac{1}{8}$ |
| 46520  | 46525  | 20 gauge, square corner, wire in rim | 4 rows of 6 | 3.8       | 2 $\frac{3}{4}$       | 2 $\frac{1}{16}$ | 1 $\frac{3}{8}$ | 3 $\frac{5}{16}$ | 3 $\frac{5}{16}$ | 3.5              | 14 $\frac{1}{8}$ x 20 $\frac{3}{4}$ |












Volume (Vol.) indicates liquid volume of mould when filled to brim. Use 60-70% to estimate actual batter weight.



# Cupcake & Muffin Pans




## Specialty Muffin Pans Aluminized steel

|    | Item #                          |             | Description   | Arrangement | Vol., oz. | Mould Dimensions, in.   |   |                                 | Centers, in.                    |                                 | Weight Each, lb. | Overall Size, in.   |
|--|---------------------------------|-------------|---|-------------|-----------|---|---|---------------------------------|---------------------------------|---------------------------------|------------------|---|
|  | Glazed                          | DuraShield® |   |             |           | Top<br>(A 1, 2)   | Btm. Out.<br>(B 1, 2)   | Depth<br>(C)                    | L                               | W                               |                  |   |
|    | Brownie Bite (pans do not nest) |             |   |             |           |   |   |                                 |                                 |                                 |                  |   |
|  | 25300                           | _____       | 26 gauge, curled rim                                | 5 rows of 4 | 1.8       | 1 <sup>21</sup> / <sub>32</sub> x 1 <sup>21</sup> / <sub>32</sub> | 1 <sup>1</sup> / <sub>16</sub> x 1 <sup>1</sup> / <sub>16</sub> | 1 <sup>1</sup> / <sub>32</sub>  | 2 <sup>3</sup> / <sub>8</sub>   | 2 <sup>1</sup> / <sub>16</sub>  | 3.0              | 11 <sup>1</sup> / <sub>8</sub> x 15 <sup>3</sup> / <sub>4</sub> |
|  | 42865                           | _____       | 26 gauge, wire in rim                               | 8 rows of 6 | 2.2       | 1 <sup>21</sup> / <sub>32</sub> x 1 <sup>21</sup> / <sub>32</sub> | 1 <sup>1</sup> / <sub>16</sub> x 1 <sup>1</sup> / <sub>16</sub> | <sup>9</sup> / <sub>32</sub>    | 2 <sup>3</sup> / <sub>8</sub>   | 2 <sup>1</sup> / <sub>16</sub>  | 7.4              | 18 x 26   |
|    | MaryAnn/Strawberry Shortcake    |             |   |             |           |   |   |                                 |                                 |                                 |                  |   |
|  | 43385                           | _____       | 26 gauge, wire in rim, indent size - 2" x 1/2" deep | 3 rows of 4 | 6.0       | 3 <sup>3</sup> / <sub>8</sub>                                     | 3   | 1 <sup>1</sup> / <sub>2</sub>   | 4                               | 3 <sup>15</sup> / <sub>16</sub> | 4.1              | 12 <sup>7</sup> / <sub>8</sub> x 17 <sup>7</sup> / <sub>8</sub> |
|  | 43395                           | _____       | 26 gauge, wire in rim, indent size - 2" x 1/2" deep | 4 rows of 6 | 6.0       | 3 <sup>3</sup> / <sub>8</sub>                                     | 3   | 1 <sup>1</sup> / <sub>2</sub>   | 3 <sup>13</sup> / <sub>16</sub> | 3 <sup>13</sup> / <sub>16</sub> | 7.5              | 17 <sup>7</sup> / <sub>8</sub> x 25 <sup>7</sup> / <sub>8</sub> |
|    | Mini-Loaf                       |             |   |             |           |   |   |                                 |                                 |                                 |                  |   |
|  | 25100                           | _____       | 26 gauge, curled rim                                | 4 rows of 2 | 5.1       | 3 <sup>7</sup> / <sub>8</sub> x 2 <sup>1</sup> / <sub>2</sub>     | 3 <sup>3</sup> / <sub>8</sub> x 2                               | 1 <sup>1</sup> / <sub>4</sub>   | 3 <sup>3</sup> / <sub>8</sub>   | 4 <sup>1</sup> / <sub>2</sub>   | 2.0              | 11 <sup>1</sup> / <sub>8</sub> x 15 <sup>3</sup> / <sub>4</sub> |
|  | 45755                           | _____       | 26 gauge, square corners, wire in rim               | 2 rows of 6 | 6.4       | 3 <sup>7</sup> / <sub>8</sub> x 2 <sup>1</sup> / <sub>2</sub>     | 3 <sup>1</sup> / <sub>2</sub> x 2 <sup>1</sup> / <sub>8</sub>   | 1 <sup>1</sup> / <sub>16</sub>  | 3 <sup>3</sup> / <sub>8</sub>   | 4 <sup>1</sup> / <sub>2</sub>   | 3.8              | 9 <sup>7</sup> / <sub>8</sub> x 19 <sup>1</sup> / <sub>2</sub>  |
|  | 45725                           | _____       | 26 gauge, square corners, wire in rim               | 4 rows of 7 | 6.4       | 3 <sup>7</sup> / <sub>8</sub> x 2 <sup>1</sup> / <sub>2</sub>     | 3 <sup>1</sup> / <sub>2</sub> x 2 <sup>1</sup> / <sub>8</sub>   | 1 <sup>1</sup> / <sub>16</sub>  | 3 <sup>3</sup> / <sub>8</sub>   | 4 <sup>1</sup> / <sub>2</sub>   | 7.8              | 18 <sup>7</sup> / <sub>8</sub> x 25 <sup>7</sup> / <sub>8</sub> |
|  | 45727                           | _____       | 26 gauge, square corners, wire in rim               | 4 rows of 7 | 6.4       | 3 <sup>7</sup> / <sub>8</sub> x 2 <sup>1</sup> / <sub>2</sub>     | 3 <sup>1</sup> / <sub>2</sub> x 2 <sup>1</sup> / <sub>8</sub>   | 1 <sup>1</sup> / <sub>16</sub>  | 3 <sup>3</sup> / <sub>8</sub>   | 4 <sup>1</sup> / <sub>4</sub>   | 7.9              | 17 <sup>7</sup> / <sub>8</sub> x 25 <sup>7</sup> / <sub>8</sub> |
|  | Square Muffin (Aluminum)        |             |   |             |           |   |   |                                 |                                 |                                 |                  |   |
|  | 46605                           | 46601       | 20 gauge, square corners, wire in rim               | 4 rows of 6 | 4.4       | 2 <sup>5</sup> / <sub>8</sub> x 2 <sup>5</sup> / <sub>8</sub>     | 2 x 2   | 1 <sup>1</sup> / <sub>16</sub>  | 3 <sup>3</sup> / <sub>8</sub>   | 3 <sup>3</sup> / <sub>4</sub>   | 3.8              | 14 <sup>1</sup> / <sub>8</sub> x 20 <sup>3</sup> / <sub>4</sub> |
|  | Mini-Star                       |             |   |             |           |   |   |                                 |                                 |                                 |                  |   |
|  | 43045                           | _____       | 22 gauge, square corners, wire in rim               | 3 rows of 4 | 6.0       | 4 <sup>1</sup> / <sub>2</sub>                                     | 4 <sup>3</sup> / <sub>32</sub>                                  | 1                               | 5 <sup>1</sup> / <sub>2</sub>   | 5                               | 8.4              | 17 <sup>7</sup> / <sub>8</sub> x 25 <sup>7</sup> / <sub>8</sub> |
|  | Fluted Tart Pan                 |             |   |             |           |   |   |                                 |                                 |                                 |                  |   |
|  | 25500                           | _____       | 26 gauge, curled rim                                | 3 rows of 2 | 7.2       | 4 <sup>9</sup> / <sub>16</sub>                                    | 4 <sup>1</sup> / <sub>16</sub>                                  | <sup>7</sup> / <sub>8</sub>     | 5                               | 5 <sup>3</sup> / <sub>8</sub>   | 2.0              | 11 <sup>1</sup> / <sub>8</sub> x 15 <sup>3</sup> / <sub>4</sub> |
|  | Mini-Swirl Cake                 |             |   |             |           |   |   |                                 |                                 |                                 |                  |   |
|  | 26300                           | _____       | 26 gauge, curled rim                                | 3 rows of 2 | 6.1       | 3 <sup>1</sup> / <sub>16</sub>                                    | 2 <sup>1</sup> / <sub>2</sub>                                   | 1 <sup>25</sup> / <sub>32</sub> | 4 <sup>1</sup> / <sub>4</sub>   | 4 <sup>1</sup> / <sub>4</sub>   | 2.2              | 11 <sup>1</sup> / <sub>8</sub> x 15 <sup>3</sup> / <sub>4</sub> |


Volume (Vol.) indicates liquid volume of mould when filled to brim. Use 60-70% to estimate actual batter weight.




### Mini-Muffin, Mini-Crown & Cupcake Pans




Item # 45195, 45295 (B)  
Mini-Muffin



Item # 45245, 45255 (A)  
Mini-Muffin




Item # 42754,  
42755, 42756 (B)  
Mini-Crown Muffin




Item # 45125, 45225, 45525, 45575,  
45605, 46120, 46125, 46520, 46525 (A)  
Cupcake/Muffin

### Mini-Fluted Cake Pans




Item # 26200 (C)  
Mini-Fluted Cake




Item # 43055 (C)  
Mini-Fluted Tube Cake


### Specialty Muffin Pans




Item # 42865 253300 (C)  
Brownie Bite




Item # 43385, 43395 (C)  
MaryAnn/Shortcake




Item # 43045 (C)  
Mini-Star




Item # 25100, 45755,  
45725, 45727 (C)  
Mini-Loaf



Item # 46605 (A)  
Square Muffin



Item # 21700 (C)  
Mini-Cheesecake






Item # 25500 (C)  
Fluted Tart



Item # 26300 (C)  
Mini-Swirl Cake

## Muffin Pan Mould Profiles



(A)  
Bell-Shaped  
Crown

(B)  
Large Rounded  
Crown

(C)  
Cake Top


Our Muffin Pan Mould Profiles are shown above. All dimensions are in inches. Most Chicago Metallic muffin pan moulds produce a bell-shaped crown. Other moulds produce a rounded crown or a flatter, cake-like top. Each mould profile is marked with an (A), (B), or (C) to indicate its typical muffin crown shape.




# Cupcake & Muffin Pans




## Oversized Muffin Pans




Item # 43645, 45645 (A)  
Large




Item # 43215, 45265 (A)  
Texas Size




Item # 43515, 44515 (A)  
Jumbo




Item # 43375, 45285 (A)  
Jumbo




Item # 45445 (A)  
Jumbo




Item # 43555, 44555 (B)  
Large Crown




Item # 43025, 43026 (B)  
Large Crown




Item # 45435 (B)  
Large Crown




Item # 43695,  
44705, 47005, 26200 (B)  
Pecan Roll



Item # 43035 (C)  
Mini-Cake



Item # 44305, 44215, 45305 (C)  
Mini-Cake



Item # 45355 (C)  
Mini-Cake




## Large-Radius Corners







Most Chicago Metallic muffin pans feature an innovative **Large-Radius, Seamless Corner** design. This design significantly increases pan frame and corner strength, extends pan life, and makes pans safer, more sanitary, and easier to handle. These pans also nest and stack easily with older, small-radius corner pans.



## Oversized Muffin Pans Aluminized steel



| Item #             |             | Description                           | Arrangement | Vol., oz. | Mould Dimensions, in. |               |           | Centers, in. |    | Weight Each, lb. | Overall Size, in. |
|--------------------|-------------|---------------------------------------|-------------|-----------|-----------------------|---------------|-----------|--------------|----|------------------|-------------------|
| Glazed             | DuraShield® |                                       |             |           | Top (A)               | Btm. Out. (B) | Depth (C) | L            | W  |                  |                   |
| Large Muffin       |             |                                       |             |           |                       |               |           |              |    |                  |                   |
| 43645              | ————        | 26 gauge, wire in rim                 | 3 rows of 4 | 5.0       | 3¼                    | 2½            | 1¼        | 3⅝           | 3⅝ | 3.8              | 12⅞ x 17⅞         |
| 45645              | ————        | 26 gauge, wire in rim                 | 4 rows of 6 | 5.0       | 3¼                    | 2½            | 1¼        | 3⅝           | 3⅝ | 7.0              | 17⅞ x 25⅞         |
| Texas Size Muffin  |             |                                       |             |           |                       |               |           |              |    |                  |                   |
| 43215              | ————        | 26 gauge, wire in rim                 | 3 rows of 4 | 5.6       | 3⅜                    | 2⅝            | 1¼        | 3⅝           | 3⅝ | 3.9              | 12⅞ x 17⅞         |
| 45265              | ————        | 26 gauge, wire in rim                 | 4 rows of 6 | 5.6       | 3⅜                    | 2⅝            | 1¼        | 3⅝           | 3⅝ | 7.2              | 17⅞ x 25⅞         |
| Jumbo Muffin       |             |                                       |             |           |                       |               |           |              |    |                  |                   |
| 43515              | ————        | 26 gauge, wire in rim                 | 3 rows of 4 | 6.2       | 3½                    | 3⅞            | 1¼        | 4⅞           | 4⅞ | 4.2              | 13½ x 17⅞         |
| 44515              | ————        | 26 gauge, wire in rim                 | 4 rows of 5 | 6.2       | 3½                    | 3⅞            | 1¼        | 4⅞           | 4⅞ | 6.7              | 17⅞ x 25⅞         |
| 43375              | ————        | 26 gauge, wire in rim                 | 3 rows of 4 | 7.0       | 3⅝                    | 3             | 1½        | 4            | 3⅝ | 4.0              | 12⅞ x 17⅞         |
| 45285              | ————        | 26 gauge, wire in rim                 | 4 rows of 6 | 7.0       | 3⅝                    | 3             | 1½        | 3⅞           | 4  | 7.5              | 17⅞ x 25⅞         |
| 45445              | ————        | 26 gauge, wire in rim                 | 4 rows of 6 | 7.0       | 3⅝                    | 2⅝            | 1⅞        | 4            | 4  | 7.7              | 17⅞ x 25⅞         |
| Large Crown Muffin |             |                                       |             |           |                       |               |           |              |    |                  |                   |
| 43555              | ————        | 26 gauge, wire in rim                 | 3 rows of 4 | 7.3       | 3½                    | 2⅞            | 1⅝        | 4⅞           | 4⅞ | 4.2              | 13½ x 17⅞         |
| 44555              | ————        | 26 gauge, wire in rim                 | 4 rows of 5 | 7.3       | 3½                    | 2⅞            | 1⅝        | 4⅞           | 4⅞ | 6.8              | 17⅞ x 25⅞         |
| 43025              | ————        | 22 gauge, square corners, wire in rim | 3 rows of 4 | 7.3       | 3⅝                    | 2⅞            | 1⅝        | 4            | 4  | 5.5              | 13½ x 17⅞         |
| 43026              | ————        | 22 gauge, wire in rim                 | 4 rows of 6 | 7.3       | 3⅝                    | 2⅞            | 1⅝        | 4            | 4  | 9.8              | 17⅞ x 25⅞         |
| 45435              | ————        | 22 gauge, wire in rim                 | 3 rows of 5 | 7.5       | 4⅞                    | 2⅞            | 1⅝        | 4⅝           | 4⅝ | 8.2              | 17⅞ x 25⅞         |
| Pecan Roll         |             |                                       |             |           |                       |               |           |              |    |                  |                   |
| 26500              | ————        | 26 gauge, wire in rim                 | 3 rows of 2 | 8.2       | 3⅞                    | 2½            | 1⅝        | 4¼           | 4¼ | 2.2              | 11⅞ x 15¾         |
| 43695              | 43698       | 26 gauge, wire in rim                 | 3 rows of 4 | 8.2       | 3⅞                    | 2½            | 1⅝        | 4¼           | 4¼ | 4.2              | 13½ x 17⅞         |
| 44705              | ————        | 26 gauge, wire in rim                 | 4 rows of 5 | 8.2       | 3⅞                    | 2½            | 1⅝        | 4¼           | 4¼ | 7.0              | 17⅞ x 25⅞         |
| 47005              | ————        | 26 gauge, wire in rim                 | 3 rows of 5 | 8.2       | 3⅞                    | 2½            | 1⅝        | 4¼           | 4¼ | 6.5              | 17⅞ x 25⅞         |
| Mini-Cake          |             |                                       |             |           |                       |               |           |              |    |                  |                   |
| 43035              | 43038       | 22 gauge, wire in rim                 | 3 rows of 5 | 10.0      | 4⅞                    | 3⅞            | 1½        | 4⅝           | 4⅞ | 9.0              | 17⅞ x 25⅞         |
| 44305              | ————        | 26 gauge, wire in rim                 | 2 rows of 3 | 10.5      | 4¼                    | 3⅞            | 1½        | 4⅞           | 5⅝ | 2.0              | 11⅞ x 15¾         |
| 44215              | ————        | 26 gauge, square corners, wire in rim | 3 rows of 4 | 10.5      | 4¼                    | 3⅞            | 1½        | 4⅞           | 4⅞ | 5.0              | 15½ x 20½         |
| 45305              | ————        | 26 gauge, wire in rim                 | 3 rows of 5 | 10.5      | 4¼                    | 3⅞            | 1½        | 4⅞           | 4⅞ | 6.7              | 17⅞ x 25⅞         |
| 45355              | ————        | 26 gauge, square corners, wire in rim | 3 rows of 4 | 16.5      | 5¼                    | 3⅞            | 1⅞        | 5⅝           | 5⅞ | 7.0              | 18 x 25⅞          |



Volume (Vol.) indicates liquid volume of mould when filled to brim. Use 60-70% to estimate actual batter weight.

## Allergen Management Cupcake & Muffin Pan Aluminized steel with 265U colored DuraShield® non-stick coating

| Item #      |  | Description           | Arrangement | Vol., oz. | Mould Dimensions, in. |               |           | Centers, in. |    | Weight Each, lb. | Overall Size, in. |
|-------------|--|-----------------------|-------------|-----------|-----------------------|---------------|-----------|--------------|----|------------------|-------------------|
| DuraShield® |  |                       |             |           | Top (A)               | Btm. Out. (B) | Depth (C) | L            | W  |                  |                   |
| 65525       |  | 26 gauge, wire in rim | 4 rows of 6 | 3.8       | 2¾                    | 2⅞            | 1⅝        | 3⅝           | 3⅝ | 5.2              | 14⅞ x 20⅞         |

Volume (Vol.) indicates liquid volume of mould when filled to brim. Use 60-70% to estimate actual batter weight.



# Bun & Roll Pans

## Band in Rim

Heavier; anti-shingle design, ideal for conveyORIZED and high-volume bakeries.

## Wire in Rim

Lighter; best for rack oven applications.

### Hamburger Bun/Muffin Top/Cookie Pans Aluminized steel



| Item #                              |             | Description           | Arrangement     | Mould Dimensions, in.           |                                |                                | Weight Each, lb. | Overall Size, in.  |
|-------------------------------------|-------------|-----------------------|-----------------|---------------------------------|--------------------------------|--------------------------------|------------------|--|
| Glazed                              | DuraShield® |                       |                 | Top Inside                      | Btm. Out.                      | Depth                          |                  |  |
| Individual Mould                    |             |                       |                 |                                 |                                |                                |                  |  |
| 41002                               | _____       | 22 gauge, band in rim | 3 rows of 5     | 4⅛                              | 3¾                             | ½                              | 8.3              | 17¾ x 25¾ x 1  |
| 41005                               | _____       | 22 gauge, band in rim | 3 rows of 4     | 5                               | 4¾                             | ½                              | 8.5              | 17¾ x 25¾ x 1  |
| 41006                               | _____       | 22 gauge, band in rim | 2 rows of 3     | 4⅛                              | 3⅞                             | 1⅛                             | 5.3              | 12 x 17⅝ x 1⅞  |
| *42495                              | _____       | 26 gauge, wire in rim | 4 rows of 6     | 3 <sup>23</sup> / <sub>32</sub> | 3 <sup>5</sup> / <sub>32</sub> | 1 <sup>3</sup> / <sub>32</sub> | 4.6              | 17 <sup>1</sup> / <sub>16</sub> x 25 <sup>1</sup> / <sub>16</sub> x 1⅞ |
| *42425                              | _____       | 26 gauge, wire in rim | 3 rows of 5     | 4⅛                              | 3⅞                             | ½                              | 4.5              | 17 <sup>1</sup> / <sub>16</sub> x 25 <sup>1</sup> / <sub>16</sub> x 1⅞ |
| 42345                               | 52345       | 26 gauge, wire in rim | 4 rows of 6     | 4¼                              | 3⅝                             | ½                              | 6.8              | 19½ x 28¾ x 1⅞   |
| Cluster Moulds, 4 Moulds in Cluster |             |                       |                 |                                 |                                |                                |                  |  |
| *42445                              | _____       | 26 gauge, wire in rim | 6 clusters of 4 | 3¾                              | 3⅝                             | ½                              | 4.5              | 17 <sup>1</sup> / <sub>16</sub> x 25 <sup>1</sup> / <sub>16</sub> x 1⅞ |

\*ePan® Pans





## Hot Dog Bun Pans Aluminized steel

| Item #                   |             | Description           | Arrangement     | Mould Dimensions, in.  |  |                                | Weight Each, lb. | Overall Size, in.   |
|--------------------------|-------------|-----------------------|-----------------|--|--|--------------------------------|------------------|---|
| Glazed                   | DuraShield® |                       |                 | Top Inside   | Btm. Out.  | Depth                          |                  |   |
| Individual Moulds        |             |                       |                 |  |  |                                |                  |   |
| *42435                   | 52435       | 22 gauge, wire in rim | 3 rows of 6     | 6 x 2 <sup>1</sup> / <sub>16</sub>                             | 5 <sup>1</sup> / <sub>2</sub> x 1 <sup>1</sup> / <sub>16</sub> | <sup>1</sup> / <sub>2</sub>    | 4.5              | 17 <sup>1</sup> / <sub>16</sub> x 25 <sup>1</sup> / <sub>16</sub> x 1 <sup>1</sup> / <sub>8</sub> |
| 42415                    | _____       | 22 gauge, wire in rim | 4 rows of 6     | 6 x 2 <sup>1</sup> / <sub>16</sub>                             | 5 <sup>1</sup> / <sub>2</sub> x 1 <sup>1</sup> / <sub>16</sub> | <sup>1</sup> / <sub>2</sub>    | 6.0              | 16 <sup>3</sup> / <sub>4</sub> x 27 <sup>3</sup> / <sub>4</sub> x 1                               |
| Cluster Moulds, Oval End |             |                       |                 |  |  |                                |                  |   |
| 42465                    | _____       | 22 gauge, band in rim | 8 clusters of 4 | 5 <sup>5</sup> / <sub>8</sub> x 2 <sup>1</sup> / <sub>16</sub> | 5 x 1 <sup>5</sup> / <sub>8</sub>                              | 1 <sup>5</sup> / <sub>32</sub> | 7.5              | 19 <sup>3</sup> / <sub>8</sub> x 25 <sup>3</sup> / <sub>4</sub> x 1 <sup>15</sup> / <sub>32</sub> |



### \*ePan® Pans


## Hoagie Bun Pans Aluminized steel

| Item #      |   | Description           | Arrangement | Mould Dimensions, in. |           |       | Weight Each, lb. | Overall Size, in. |
|-------------|---|-----------------------|-------------|-----------------------|-----------|-------|------------------|-------------------|
| Glazed      | DuraShield®   |                       |             | Top Inside            | Btm. Out. | Depth |                  |                   |
| Blunt End   |   |                       |             |                       |           |       |                  |                   |
| 41052       |  | 22 gauge, band in rim | 5 rows of 2 | 12 x 2¾               | 11¾ x 2⅞  | ⅜     | 7.9              | 17¾ x 25¾ x 1     |
| 41053       |  | 22 gauge, band in rim | 2 rows of 4 | 10 x 3                | 9¾ x 2¾   | ½     | 7.9              | 17¾ x 25¾ x 1     |
| Rounded End |   |                       |             |                       |           |       |                  |                   |
| 41055       | 41058   | 22 gauge, band in rim | 6 rows of 2 | 7⅞ x 2½               | 7⅞ x 2⅞   | ⅞     | 7.9              | 17¾ x 25¾ x 1     |



## Slider Bun Pan Aluminized steel

| Item # | Glazed | Description           | Arrangement      | Mould Dimensions, in. |                              |               | Weight Each, lb. | Overall Size, in.                                     |
|--------|--------|-----------------------|------------------|-----------------------|------------------------------|---------------|------------------|---|
|        |        |                       |                  | Top Inside            | Btm. Out.                    | Depth         |                  |   |
| 40434  |        | 22 gauge, band in rim | 8 clusters of 12 | 1 $\frac{3}{8}$       | $\frac{1}{8}$ concave bottom | $\frac{1}{8}$ | 7.1              | 17 $\frac{5}{8}$ x 25 $\frac{5}{8}$ x 1 $\frac{1}{8}$ |



## Square Ciabatta Roll Pan Aluminized steel

| Item # | Glazed | Description           | Arrangement | Mould Dimensions, in. |                                     |                  | Weight Each, lb. | Overall Size, in.                                       |
|--------|--------|-----------------------|-------------|-----------------------|-------------------------------------|------------------|------------------|---|
|        |        |                       |             | Top Inside            | Btm. Out.                           | Depth            |                  |   |
| 46351  |        | 22 gauge, band in rim | 4 rows of 5 | 3 $\frac{1}{4}$ x 3   | 3 $\frac{7}{64}$ x 2 $\frac{1}{25}$ | 2 $\frac{3}{32}$ | 7.5              | 17 $\frac{3}{4}$ x 25 $\frac{3}{4}$ x 1 $\frac{23}{32}$ |



## Allergen Management Hamburger Bun Pan Aluminized steel with 265U colored DuraShield® non-stick coating

| Item # | DuraShield® | Description           | Arrangement | Mould Dimensions, in. |                 |               | Weight Each, lb. | Overall Size, in.                                       |
|--------|-------------|-----------------------|-------------|-----------------------|-----------------|---------------|------------------|---|
|        |             |                       |             | Top Inside            | Btm. Out.       | Depth         |                  |   |
| 62425  |             | 22 gauge, wire in rim | 3 rows of 5 | 4 $\frac{1}{8}$       | 3 $\frac{7}{8}$ | $\frac{1}{2}$ | 4.5              | 17 $\frac{1}{16}$ x 25 $\frac{1}{16}$ x 1 $\frac{1}{8}$ |




## ePan® Bun Pans

ePan® Bun Pans from Chicago Metallic use high-tensile-strength aluminized steel to create pans that are thinner, lighter, and substantially stronger than traditional pans. Using less metal also means ePan® Bun Pans heat faster and cool more quickly.



# Bread & Baguette Pans

## Single Open Top Bread Pans Aluminized steel, folded construction (unless otherwise noted)



| Item # |        | Description   | Individual Pan Size, in.           |                                    |                  | Weight Each, lb. | Loaf Weight Each, lb. |
|--------|--------|---|------------------------------------|------------------------------------|------------------|------------------|-----------------------|
| Plain  | Glazed |   | Top Inside                         | Btm. Out.                          | Depth            |                  |                       |
| 40411  | 40415  | 26 gauge, seamless construction, curled rim                       | 5 $\frac{5}{8}$ x 3 $\frac{1}{8}$  | 5 x 2 $\frac{1}{2}$                | 2 $\frac{3}{16}$ | 0.3              | $\frac{3}{8}$         |
| —      | 45031  | 26 gauge, seamless construction, wire in rim with notched corners | 7 $\frac{1}{4}$ x 3 $\frac{5}{8}$  | 6 $\frac{3}{4}$ x 3                | 2 $\frac{1}{4}$  | 0.8              | $\frac{1}{2}$         |
| —      | 41065  | 26 gauge, wire in rim   | 8 x 4                              | 7 $\frac{1}{4}$ x 3 $\frac{1}{4}$  | 2 $\frac{1}{2}$  | 0.9              | $\frac{3}{4}$         |
| 40421  | 40425  | 26 gauge, wire in rim   | 8 $\frac{1}{2}$ x 4 $\frac{1}{2}$  | 7 $\frac{5}{8}$ x 3 $\frac{5}{8}$  | 2 $\frac{3}{4}$  | 1.0              | 1                     |
| 40561  | 40565  | 26 gauge, wire in rim   | 9 x 4 $\frac{1}{2}$                | 8 $\frac{1}{4}$ x 3 $\frac{3}{4}$  | 2 $\frac{3}{4}$  | 1.1              | 1                     |
| 49110  | 49115  | 26 gauge, wire in rim   | 10 x 5                             | 9 $\frac{3}{8}$ x 4 $\frac{3}{8}$  | 3                | 1.3              | 1 $\frac{1}{2}$       |
| 40491  | 40495  | 26 gauge, wire in rim   | 12 $\frac{1}{4}$ x 4 $\frac{1}{2}$ | 11 $\frac{1}{2}$ x 3 $\frac{3}{4}$ | 2 $\frac{3}{4}$  | 1.3              | 1 $\frac{1}{2}$       |



### 3-Strap Open Top Bread Pans Aluminized steel, folded construction, strap over pan rims

| Item # | Description           | Individual Pan Size, in. |           |       | Weight Each, lb. | Overall Size, in. |
|--------|-----------------------|--------------------------|-----------|-------|------------------|-------------------|
|        |                       | Top Inside               | Btm. Out. | Depth |                  |                   |
| 44235  | 26 gauge, wire in rim | 8½ x 4½                  | 7⅝ x 3⅝   | 2¾    | 4.7              | 9⅝ x 17⅝          |
| 45635  | 26 gauge, wire in rim | 9 x 4½                   | 8¼ x 3¾   | 2¾    | 4.8              | 9⅝ x 17¾          |



### 4-Strap Open Top Bread Pans Aluminized steel, folded construction, strap over pan rims (unless otherwise noted)

| Item # | Description  | Individual Pan Size, in. |           |       | Weight Each, lb. | Overall Size, in. |
|--------|--|--------------------------|-----------|-------|------------------|-------------------|
|        |  | Top Inside               | Btm. Out. | Depth |                  |                   |
| 44145  | 26 gauge, seamless construction, strap under curled pan rims | 5⅝ x 3⅝                  | 5 x 2½    | 2⅝    | 2.0              | 6 x 17⅝           |
| 44065  | 26 gauge, wire in rim  | 8 x 4                    | 7¼ x 3¼   | 2½    | 5.1              | 8⅝ x 19¾          |
| 44245  | 26 gauge, wire in rim  | 8½ x 4½                  | 7⅝ x 3⅝   | 2¾    | 6.0              | 9⅝ x 21⅝          |
| 44585  | 26 gauge, wire in rim  | 8½ x 5¾                  | 8 x 5     | 3     | 7.5              | 9⅝ x 26           |
| 45642  | 26 gauge, wire in rim  | 9 x 4½                   | 8¼ x 3¾   | 2¾    | 6.1              | 9⅝ x 21⅝          |
| 49145  | 26 gauge, wire in rim  | 10 x 5                   | 9⅝ x 4⅝   | 3     | 7.1              | 10⅝ x 23⅝         |
| 49415  | 26 gauge, wire in rim  | 10 x 5                   | 9⅝ x 4⅝   | 3     | 7.3              | 10⅝ x 26          |
| 44765  | 26 gauge, wire in rim  | 12 x 5                   | 11¼ x 4¼  | 3½    | 9.0              | 12⅝ x 23⅝         |
| 44945  | 26 gauge, wire in rim  | 12¼ x 4½                 | 11½ x 3¾  | 2¾    | 7.5              | 12⅝ x 21⅝         |



### 5-Strap Open Top Bread Pans Aluminized steel, folded construction, strap over pan rims

| Item # | Description           | Individual Pan Size, in. |           |       | Weight Each, lb. | Overall Size, in. |
|--------|-----------------------|--------------------------|-----------|-------|------------------|-------------------|
|        |                       | Top Inside               | Btm. Out. | Depth |                  |                   |
| 44575  | 26 gauge, wire in rim | 7⅝ x 3⅝                  | 6¾ x 3    | 2¼    | 6.1              | 8⅝ x 25¾          |
| 44255  | 26 gauge, wire in rim | 8½ x 4½                  | 7⅝ x 3⅝   | 2¾    | 7.1              | 9⅝ x 26           |
| 45655  | 26 gauge, wire in rim | 9 x 4½                   | 8¼ x 3¾   | 2¾    | 7.5              | 9⅝ x 26           |
| 44955  | 26 gauge, wire in rim | 12¼ x 4½                 | 11½ x 3¾  | 2¾    | 9.0              | 12⅝ x 26          |



### 6-Strap Open Top Bread Pans Aluminized steel, seamless construction, strap under pan rims

| Item # | Description                                 | Individual Pan Size, in. |           |       | Weight Each, lb. | Overall Size, in. |
|--------|---|--------------------------|-----------|-------|------------------|-------------------|
|        |   | Top Inside               | Btm. Out. | Depth |                  |                   |
| 46925  | 26 gauge, curled rim, large radius corners  | 5⅝ x 3⅝                  | 5 x 2½    | 2¼    | 3.3              | 6 x 25⅝           |
| 41465  | 26 gauge, wire in rim, small radius corners | 5⅝ x 3⅝                  | 5 x 2½    | 2⅝    | 3.0              | 6 x 25⅝           |



## AMERICOAT® ePlus

This long-lasting silicone glaze delivers up to 30% more releases and, in addition, reduces carbon transfer and decreases oil usage by 50%. **AMERICOAT® ePlus** glaze is available as a standard option for many Chicago Metallic products, with inventory ready to ship within 24 to 48 hours.

**NEW - Our recently enhanced formula, AMERICOAT ePlus, has a VOC content well below EPA standards and provides our longest release life to date.**



# Bread & Baguette Pans



## Single Pullman Pans/Covers Aluminized steel, folded construction

| Item # | Description                                     | Individual Pan Size, in. |           |       | Weight Each, lb. | Loaf Weight Each, lb. |
|--------|---|--------------------------|-----------|-------|------------------|-----------------------|
|        |   | Top Inside               | Btm. Out. | Depth |                  |                       |
| 44615  | 26 gauge, wire in rim                           | 13 x 4                   | 12¾ x 3¾  | 4     | 1.8              | 1.5                   |
| 44660  | Individual sliding cover for #44615 Pullman Pan |                          |           |       | 0.6              |                       |
| 44650  | 26 gauge, wire in rim                           | 16 x 4                   | 15¾ x 3¾  | 4     | 2.1              | 2.0                   |
| 44655  | Individual sliding cover for #44650 Pullman Pan |                          |           |       | 0.7              |                       |




## 3-Strap Pullman Pans/Covers Aluminized steel, folded construction, strap over pan rims

| Item # | Description                                       | Individual Pan Size, in. |           |       | Weight Each, lb. | Overall Size, in.   |
|--------|---|--------------------------|-----------|-------|------------------|---|
|        |   | Top Inside               | Btm. Out. | Depth |                  |   |
| 44635  | 26 gauge, wire in rim                             | 13 x 4                   | 12¾ x 3¾  | 4     | 7.3              | 13 <sup>23</sup> / <sub>32</sub> x 15 <sup>5</sup> / <sub>8</sub> |
| 44645  | 1" non-nesting, drop cover for #44635 Pullman Pan |                          |           |       | 4.3              | 14 <sup>3</sup> / <sub>8</sub> x 16 <sup>9</sup> / <sub>32</sub>  |
| 44365  | 26 gauge, wire in rim                             | 16 x 4                   | 15¾ x 3¾  | 4     | 8.5              | 16 <sup>23</sup> / <sub>32</sub> x 15 <sup>3</sup> / <sub>4</sub> |
| 46465  | 1" non-nesting, drop cover for #44365 Pullman Pan |                          |           |       | 5.3              | 17 <sup>3</sup> / <sub>8</sub> x 16 <sup>13</sup> / <sub>32</sub> |




## 4-Strap Pullman Pan/Cover Aluminized steel, folded construction, strap over pan rims

| Item # | Description                             | Individual Pan Size, in. |           |       | Weight Each, lb. | Overall Size, in.                    |
|--------|---|--------------------------|-----------|-------|------------------|--------------------------------------|
|        |   | Top Inside               | Btm. Out. | Depth |                  |                                      |
| 44685  | 26 gauge, wire in rim                   | 13 x 4                   | 12¾ x 3¾  | 4     | 9.5              | 13¾ x 21 <sup>1</sup> / <sub>8</sub> |
| 44695  | 1½" nested cover for #44685 Pullman pan |                          |           |       | 6.3              | 14¾ x 22 <sup>3</sup> / <sub>8</sub> |



## 3-Strap Hearth Bread Pan Aluminized steel, seamless construction, strap over pan rims, bottom and sidewall perforations, flat bottom

| Item # | Description           | Individual Pan Size, in. |           |       | Weight Each, lb. | Overall Size, in.  |
|--------|-----------------------|--------------------------|-----------|-------|------------------|--|
|        |                       | Top Inside               | Btm. Out. | Depth |                  |  |
| 44405  | 22 gauge, wire in rim | 11½ x 6                  | 11 x 3½   | 2½    | 6.5              | 12 <sup>3</sup> / <sub>16</sub> x 25 <sup>7</sup> / <sub>8</sub> |



## 4-Strap Hearth Bread Pan Aluminized steel, seamless construction, strap over pan rims, bottom and sidewall perforations, flat bottom

| Item # | Description           | Individual Pan Size, in. |                                    |       | Weight Each, lb. | Overall Size, in.                    |
|--------|-----------------------|--------------------------|------------------------------------|-------|------------------|--------------------------------------|
|        |                       | Top Inside               | Btm. Out.                          | Depth |                  |                                      |
| 41145  | 22 gauge, wire in rim | 11½ x 5¾                 | 11 x 3 <sup>7</sup> / <sub>8</sub> | 2¾    | 7.8              | 12 <sup>3</sup> / <sub>16</sub> x 26 |




## Allergen Management Bread Pan Aluminized steel with 265U colored DuraShield® non-stick coating


| Item # | Description           | Individual Pan Size, in. |           |                               | Weight, lb. | Loaf Weight, lb. |
|--------|-----------------------|--------------------------|-----------|-------------------------------|-------------|------------------|
|        |                       | Top Inside               | Btm. Out. | Depth                         |             |                  |
| 60561  | 26 gauge, wire in rim | 9 x 4½                   | 8¼ x 3¾   | 2 <sup>2</sup> / <sub>3</sub> | 1.1         | 1.0              |



## Uni-Lock® Design Baguette/French Bread Pans

| Item #  |             | Description  | Moulds Per Pan | Mould Dimensions, in. Top Inside     | Weight Each, lb. | Overall Size, in.   |  |
|---------|-------------|--|----------------|--------------------------------------|------------------|---|---|
| Glazed  | DuraShield® |  |                |                                      |                  |   |   |
| 49011** | ————        | 16 gauge, .081" diameter perforated aluminum, open ends<br>** Welded style | 3 long         | 5 <sup>3</sup> / <sub>16</sub> x 26  | 3.3              | 17 <sup>3</sup> / <sub>4</sub> x 25 <sup>3</sup> / <sub>4</sub> x 1 <sup>3</sup> / <sub>4</sub> |   |
| 49034   | 49043       | 16 gauge, .081" diameter perforated aluminum, open ends                    | 4 long         | 3 <sup>7</sup> / <sub>8</sub> x 26   | 3.5              | 17 <sup>3</sup> / <sub>4</sub> x 25 <sup>3</sup> / <sub>4</sub> x 1                             |   |
| 49035   | 49053       | 16 gauge, .081" diameter perforated aluminum, open ends                    | 5 long         | 3 x 26                               | 3.7              | 17 <sup>3</sup> / <sub>4</sub> x 25 <sup>3</sup> / <sub>4</sub> x 1                             |   |
| 45515   | ————        | 16 gauge, .081" diameter perforated aluminum, open ends                    | 5 across       | 3 <sup>7</sup> / <sub>8</sub> x 18   | 3.5              | 17 <sup>3</sup> / <sub>4</sub> x 25 <sup>3</sup> / <sub>4</sub> x 1                             |   |
| 45505** | ————        | 16 gauge, .081" diameter perforated aluminum, open ends<br>** Welded style | 5 across       | 3 <sup>7</sup> / <sub>8</sub> x 18   | 3.8              | 17 <sup>3</sup> / <sub>4</sub> x 25 <sup>3</sup> / <sub>4</sub> x 1                             |   |
| 49036   | 49063       | 16 gauge, .081" diameter perforated aluminum, open ends                    | 6 long         | 2 <sup>13</sup> / <sub>32</sub> x 26 | 3.7              | 17 <sup>3</sup> / <sub>4</sub> x 25 <sup>3</sup> / <sub>4</sub> x 1                             |   |

## Allergen Management Baguette Pan Aluminum with 265U colored DuraShield® non-stick coating

| Item #      | Description   | Moulds Per Pan | Mould Dimensions, in. Top Inside | Weight Each, lb. | Overall Size, in.   |  |
|-------------|---|----------------|----------------------------------|------------------|---|--|
| DuraShield® |   |                |                                  |                  |   |  |
| 69035       | Uni-Lock® Baguette pan, 16 gauge aluminum, .081 diameter perforation, open ends | 5 long         | 3 x 26                           | 3.7              | 17 <sup>3</sup> / <sub>4</sub> x 25 <sup>3</sup> / <sub>4</sub> x 1 |  |

## Uni-Lock® Baguette Pans

Our **Uni-Lock® Baguette Pans** utilize a patented locking method to provide a permanent connection between the frame and panel. Our unique design does not rely on individual fasteners or welding, so there are no rivets to loosen and fall free, and no broken welds to worry about.




# Specialty Bread Pans

Crimped Round Bread 4-Pan Set Aluminized steel



| Item # | Description                                | Individual Pan Size, in. |          | Loaf Weight, lb. | Weight Each, lb. | Overall Size, in.                      |
|--------|--|--------------------------|----------|------------------|------------------|--|
|        |  | Top Inside               | Diameter |                  |                  |  |
| 48514  | 26 gauge, wire in rim, 2-piece locking set | 10                       | 3¾       | 1                | 10.0             | 10 <sup>17</sup> / <sub>32</sub> x 17¼ |

Rye Bread/Miche Pan 3-Strap Set Aluminized steel



| Item # | Description   | Individual Pan Size, in. |           |       | Weight Each, lb. | Overall Size, in. |
|--------|---|--------------------------|-----------|-------|------------------|-------------------|
|        |   | Top Inside               | Btm. Out. | Depth |                  |                   |
| 47125  | 22 gauge, seamless construction, wire in rim, strap over pan rims | 7 x 11½                  | 4½ x 11   | 3     | 7.9              | 12¼ x 25⅞         |



## Cinnamon/Package Roll 3-Pan Set Aluminized steel

| Item # | Description                                  | Individual Pan Size, in. |           |       | Weight Each, lb. | Overall Size, in. |
|--------|--|--------------------------|-----------|-------|------------------|-------------------|
|        |  | Top Inside               | Btm. Out. | Depth |                  |                   |
| 41695  | 26 gauge, seamless construction, wire in rim | 9¼ x 6⅝                  | 9 x 6⅝    | 1⅞    | 4.5              | 9⅞ x 22⅞          |




## Tortilla Shell Pans Aluminized steel

| Item # |        |             | Description | Individual Pan Size, in. |           |       | Weight Each, lb. |
|--------|--------|-------------|-------------|--------------------------|-----------|-------|------------------|
| Plain  | Glazed | DuraShield® |             | Top Inside               | Btm. Out. | Depth |                  |
| 46990  | 46995  | 47675       | 26 gauge    | 9⅜                       | 4⅞        | 3.0   | 0.5              |
| 45990  | 45995  | 46675       | 26 gauge    | 6⅝                       | 3⅞        | 2⅜    | 0.3              |



## Sub Sandwich Roll Pans Aluminized

| Item #  | Description   | Arrangement | Individual Pan Size, in. |           |       | Weight Per Set, lb. | Overall Size, in. |
|---|---|-------------|--------------------------|-----------|-------|---------------------|-------------------|
| Glazed  |   |             | Top Inside               | Btm. Out. | Depth |                     |                   |
| Full-sized with 10 Individual Flat-bottomed Perforated Moulds, each with End Caps |   |             |                          |           |       |                     |                   |
| 49015   | 16 gauge, perforated, individual flat bottom moulds with end caps | 2 rows of 5 | 12½ x 3                  | 12½ x 2¼  | ¾     | 3.4                 | 17¾ x 25⅝ x ¾     |
| Half-sized with 5 Individual Flat-bottomed Perforated Moulds, each with End Caps  |   |             |                          |           |       |                     |                   |
| 49014   | 16 gauge, perforated, individual flat bottom moulds with end caps | 1 row of 5  | 12½ x 3                  | 12½ x 2¼  | ¾     | 1.9                 | 17¾ x 12¾ x ¾     |




## Mini-Loaf Pans Aluminized steel

| Item # | Description           | Arrangement | Volume, oz. | Individual Pan Size, in. |           |       | Centers, in. |    | Weight Each, lb. | Overall Size, in. |
|--------|-----------------------|-------------|-------------|--------------------------|-----------|-------|--------------|----|------------------|-------------------|
|        |                       |             |             | Top Inside               | Btm. Out. | Depth | L            | W  |                  |                   |
| 45755  | 26 gauge, wire in rim | 2 rows of 6 | 6.4         | 3⅞ x 2½                  | 3½ x 2⅞   | 1⅞    | 3⅞           | 4½ | 3.8              | 9⅞ x 19½          |
| 45725  | 26 gauge, wire in rim | 4 rows of 7 | 6.4         | 3⅞ x 2½                  | 3½ x 2⅞   | 1⅞    | 3⅞           | 4½ | 7.8              | 18⅞ x 25⅞         |
| 45727  | 26 gauge, wire in rim | 4 rows of 7 | 6.4         | 3⅞ x 2½                  | 3½ x 2⅞   | 1⅞    | 3⅞           | 4¼ | 7.9              | 17⅞ x 25⅞         |



## Allergen Management Sub Sandwich Roll Pan Aluminized steel with 265U colored DuraShield® non-stick coating

| Item # | Description                                | Arrangement | Mould Dimensions, in. |           |       | Weight Each, lb. | Overall Size, in. |
|--------|--|-------------|-----------------------|-----------|-------|------------------|-------------------|
|        |  |             | Top Inside            | Btm. Out. | Depth |                  |                   |
| 69015  | 16 gauge perforated aluminum, welded style | 2 rows of 5 | 12½ x 3               | 12½ x 2¼  | ¾     | 3.4              | 17¾ x 25⅝ x ¾     |



# Pizza Pans

## Pizza Pans Aluminized steel



| Item # | Description                  | Nominal Size, in. | Top Inside, in. | Btm. Out., in. | Depth, in. | Weight Each, lb. |
|--------|------------------------------|-------------------|-----------------|----------------|------------|------------------|
|        | Plain                        |                   |                 |                |            |                  |
| 41010  | 26 gauge, straight sidewalls | 10                | 10              | 10             | 1          | 0.8              |
| 41210  | 26 gauge, straight sidewalls | 12                | 12              | 12             | 1          | 1.0              |
| 41400  | 22 gauge, straight sidewalls | 14                | 14              | 14             | 1          | 1.8              |
| 41610  | 22 gauge, straight sidewalls | 16                | 16              | 16             | 1          | 2.2              |
| 41810  | 22 gauge, straight sidewalls | 18                | 18              | 18             | 1          | 2.8              |

## Rectangle Pizza Pans Aluminized steel



| Item # |        | Description                     | Weight Each, lb. | Overall Size, in.  |
|--------|--------|---------------------------------|------------------|--|
| Plain  | Glazed |                                 |                  |  |
| 90810  | 90815  | 22 gauge, folded/welded corners | 2.6              | 7 <sup>3</sup> / <sub>4</sub> x 9 <sup>7</sup> / <sub>8</sub> x 2 <sup>1</sup> / <sub>2</sub>  |
| 91014  | 91015  | 22 gauge, folded/welded corners | 1.6              | 9 <sup>3</sup> / <sub>4</sub> x 13 <sup>7</sup> / <sub>8</sub> x 2 <sup>1</sup> / <sub>2</sub> |

## NEW! EXACT STACK™ Deep Dish Pizza Pans Hard anodized aluminum



| Item # |              | Description        | Nominal Size, in. | Top Inside, in.                  | Btm. Out., in.                   | Depth, in. | Weight Each, lb. |
|--------|--------------|--------------------|-------------------|----------------------------------|----------------------------------|------------|------------------|
| Plain  | Pre-Seasoned |                    |                   |                                  |                                  |            |                  |
| 75010  | 75012        | 14 gauge, nestable | 12                | 12 <sup>15</sup> / <sub>16</sub> | 11 <sup>15</sup> / <sub>16</sub> | 2          | 1.2              |
| 75140  | 74145        | 14 gauge, nestable | 14                | 14 <sup>15</sup> / <sub>16</sub> | 13 <sup>15</sup> / <sub>16</sub> | 2          | 1.4              |

Patent Pending

## Allergen Management Pizza Pans Aluminum with 265U colored DuraShield® non-stick coating



| Item #      | Description                    | Top Inside, in. | Btm. Out., in.                  | Depth, in. | Weight Each, lb. |
|-------------|--------------------------------|-----------------|---------------------------------|------------|------------------|
| DuraShield® |                                |                 |                                 |            |                  |
| 69100       | 10" Thin Crust Pizza, 14 gauge | 10              | 9 <sup>27</sup> / <sub>32</sub> | 1/2        | 0.8              |
| 69120       | 12" Thin Crust Pizza, 14 gauge | 12              | 11 <sup>1</sup> / <sub>8</sub>  | 1/2        | 1.1              |



## BĀKALON Deep Dish Pizza Pans Hard anodized aluminum

| Item # |                      |                    | Description                       | Nominal Size, in. | Top Inside, in.                 | Btm. Out., in.                   | Depth, in.                    | Weight Each, lb. |
|--------|----------------------|--------------------|-----------------------------------|-------------------|---------------------------------|----------------------------------|-------------------------------|------------------|
| Plain  | Pre-Seasoned/ Glazed | Perforated Bottoms |                                   |                   |                                 |                                  |                               |                  |
| 91060  | 91065                | 91068              | 14 gauge, nestable                | 6                 | 6 <sup>5</sup> / <sub>8</sub>   | 6                                | 1 <sup>1</sup> / <sub>2</sub> | 0.5              |
| 91090  | 91095                | 91098              | 14 gauge, nestable, embossed feet | 9                 | 9                               | 8 <sup>3</sup> / <sub>8</sub>    | 1 <sup>1</sup> / <sub>2</sub> | 0.8              |
| 91100  | 91105                | 91108              | 14 gauge, nestable, embossed feet | 10                | 10 <sup>1</sup> / <sub>4</sub>  | 9 <sup>5</sup> / <sub>8</sub>    | 1 <sup>1</sup> / <sub>2</sub> | 0.9              |
| 91120  | 91125                | 91128              | 14 gauge, nestable, embossed feet | 12                | 12                              | 11 <sup>3</sup> / <sub>8</sub>   | 1 <sup>1</sup> / <sub>2</sub> | 1.2              |
| 91130  | 91135                | 91138              | 14 gauge, nestable, embossed feet | 13                | 13 <sup>1</sup> / <sub>16</sub> | 12 <sup>3</sup> / <sub>8</sub>   | 1 <sup>1</sup> / <sub>2</sub> | 1.4              |
| 91140  | 91145                | 91148              | 14 gauge, nestable, embossed feet | 14                | 14 <sup>3</sup> / <sub>16</sub> | 13 <sup>17</sup> / <sub>32</sub> | 1 <sup>1</sup> / <sub>2</sub> | 1.6              |
| 91150  | 91155                | 91158              | 14 gauge, nestable, embossed feet | 15                | 14 <sup>3</sup> / <sub>4</sub>  | 14 <sup>1</sup> / <sub>8</sub>   | 1 <sup>1</sup> / <sub>2</sub> | 1.7              |
| 91160  | 91165                | ————               | 14 gauge, nestable, embossed feet | 16                | 16 <sup>1</sup> / <sub>32</sub> | 15 <sup>23</sup> / <sub>32</sub> | 1 <sup>1</sup> / <sub>2</sub> | 2.0              |



## BĀKALON Thin Crust Pizza Pans Hard anodized aluminum

| Item # |                      |                    | Description        | Nominal Size, in. | Top Inside, in.                  | Btm. Out., in.                   | Depth, in.                  | Weight Each, lb. |
|--------|----------------------|--------------------|--------------------|-------------------|----------------------------------|----------------------------------|-----------------------------|------------------|
| Plain  | Pre-Seasoned/ Glazed | Perforated Bottoms |                    |                   |                                  |                                  |                             |                  |
| 49100  | 49103                | 49108              | 14 gauge, aluminum | 10                | 10 <sup>1</sup> / <sub>32</sub>  | 9 <sup>27</sup> / <sub>32</sub>  | <sup>1</sup> / <sub>2</sub> | 0.8              |
| 49120  | 49123                | 49128              | 14 gauge, aluminum | 12                | 12                               | 11 <sup>7</sup> / <sub>8</sub>   | <sup>1</sup> / <sub>2</sub> | 1.1              |
| 49140  | 49143                | 49148              | 14 gauge, aluminum | 14                | 13 <sup>15</sup> / <sub>16</sub> | 13 <sup>21</sup> / <sub>32</sub> | <sup>1</sup> / <sub>2</sub> | 1.4              |
| 49160  | 49163                | ————               | 14 gauge, aluminum | 16                | 16 <sup>1</sup> / <sub>8</sub>   | 15 <sup>23</sup> / <sub>32</sub> | <sup>1</sup> / <sub>2</sub> | 1.7              |



## BĀKALON Sheet Pans Hard anodized aluminum

| Item # |                      | Description                               | Weight Each, lb. | Overall Size, in.  |
|--------|----------------------|---|------------------|--|
| Plain  | Pre-Seasoned/ Glazed |   |                  |  |
| 41852  | 41854                | 16 gauge, quarter size, curled rim        | 0.4              | 6 <sup>1</sup> / <sub>2</sub> x 9 <sup>1</sup> / <sub>2</sub> x 1 <sup>1</sup> / <sub>16</sub>       |
| 40452  | 40454                | 16 gauge, eighth size, curled rim         | 0.8              | 9 <sup>1</sup> / <sub>2</sub> x 13 x 1 <sup>1</sup> / <sub>16</sub>                                  |
| 40952  | 40954                | 14 gauge, half size, open/semi-curved rim | 1.7              | 12 <sup>7</sup> / <sub>8</sub> x 17 <sup>13</sup> / <sub>16</sub> x 1                                |
| 44693  | 44694                | 16 gauge, full size, wire in rim          | 3.4              | 17 <sup>13</sup> / <sub>16</sub> x 25 <sup>13</sup> / <sub>16</sub> x 1 <sup>3</sup> / <sub>32</sub> |



# The BĀKALON Advantage

Advanced **BĀKALON Pans** are made with high-strength aluminum with a durable, hard-coat, anodized surface that will not chip, peel, rust, or interact with food. Tough enough for the demands of commercial kitchens, these high-performance pans enable a perfect bake every time, thanks to a dark surface that absorbs radiant heat for faster baking times at lower temperatures.

In addition, BĀKALON pans pre-seasoned with AMERICOAT® ePlus offer exceptional ease and convenience, combining the release characteristics of a non-stick coating with the flexibility to use metal utensils.

# Cake & Pie Pans



**NEW! Fluted Tube Cake Pan** Aluminized steel

| Item # |        | Description                    | Mould Dimensions, in. |                 |                 | Volume, cups | Weight Each, lb. |
|--------|--------|--------------------------------|-----------------------|-----------------|-----------------|--------------|------------------|
| Plain  | Glazed |                                | Top Inside            | Btm. Out.       | Depth           |              |                  |
| 51060  | 51065  | 22 gauge, seamless, curled rim | 10                    | 8 $\frac{7}{8}$ | 3 $\frac{3}{4}$ | 12           | 2.3              |



**Mini-Fluted Tube Cake Pans** Aluminized steel

| Item # | Description                        | Arrangement | Mould Dimensions, in. |                 |                 | Volume, cups | Centers, in.    |                 | Weight Each, lb. | Overall Size, in.                   |
|--------|------------------------------------|-------------|-----------------------|-----------------|-----------------|--------------|-----------------|-----------------|------------------|-------------------------------------|
|        |                                    |             | Top Inside            | Btm. Out.       | Depth           |              | L               | W               |                  |                                     |
| 26200  | 26 gauge, wire in rim without tube | 4 rows of 3 | 2 $\frac{3}{4}$       | 2 $\frac{5}{8}$ | 1 $\frac{1}{4}$ | 0.38         | 3 $\frac{1}{3}$ | 3 $\frac{5}{6}$ | 2.2              | 11 $\frac{1}{8}$ x 15 $\frac{3}{4}$ |
| 43055  | 22 gauge, wire in rim with tube    | 3 rows of 5 | 3 $\frac{1}{2}$       | 3               | 1 $\frac{1}{6}$ | 0.94         | 4 $\frac{5}{8}$ | 4 $\frac{7}{8}$ | 9.6              | 17 $\frac{7}{8}$ x 25 $\frac{3}{8}$ |

## Bundt® Pans

Cast aluminum with commercial non-stick black coating

| Item #       | Description          | Mould Dimensions, in.           |                               |                                |                               | Volume,<br>cups | Weight<br>Each, lb. |
|--------------|----------------------|---------------------------------|-------------------------------|--------------------------------|-------------------------------|-----------------|---------------------|
| Plain        |                      | Top Inside                      | Btm. Out.                     | Top Out.                       | Depth                         |                 |                     |
| Small Bundt® |                      |                                 |                               |                                |                               |                 |                     |
| 51224        | 10 gauge, no handles | 7 <sup>7</sup> / <sub>8</sub>   | 6 <sup>3</sup> / <sub>4</sub> | 8 <sup>3</sup> / <sub>16</sub> | 2 <sup>5</sup> / <sub>8</sub> | 6.0             | 1.3                 |
| Large Bundt® |                      |                                 |                               |                                |                               |                 |                     |
| 50136        | 10 gauge, no handles | 9 <sup>15</sup> / <sub>16</sub> | 8 <sup>3</sup> / <sub>4</sub> | 10 <sup>1</sup> / <sub>8</sub> | 3 <sup>1</sup> / <sub>2</sub> | 12.0            | 1.8                 |



## Bundt-lette® Pan

Cast aluminum with commercial non-stick black coating

| Item # | Description | Arrangement | Mould Dimensions, in. |                 |                 | Volume, oz. | Weight Each, lb. | Overall Size, in. |
|--------|-------------|-------------|-----------------------|-----------------|-----------------|-------------|------------------|-------------------|
| Plain  |             |             | Top Inside            | Btm. Out.       | Depth           |             |                  |                   |
| 50624  | 10 gauge    | 2 rows of 3 | 4                     | 2 $\frac{3}{4}$ | 1 $\frac{1}{8}$ | 8.0         | 2.2              | 9 x 14            |



Bundt® and Bund-lette® are the registered trademarks of Nordic Ware®, a division of Northland Aluminum Products, Inc., Minneapolis, MN 55416

## Slab Cake Pans

Aluminized steel

| Item # | Description                                  | Mould Dimensions, in.                 |                                       |       | Volume, oz. | Weight Each, lb. |
|--------|--|---------------------------------------|---------------------------------------|-------|-------------|------------------|
| Glazed |  | Top Inside                            | Btm. Out.                             | Depth |             |                  |
| 40232  | 22 gauge, seamless, wire in rim, non-nesting | 15 x 21                               | 14 $\frac{1}{16}$ x 20 $\frac{1}{16}$ | 2     | 21.5        | 5.8              |
| 40237  | 22 gauge, seamless, band in rim, non-nesting | 17 $\frac{3}{16}$ x 25 $\frac{3}{16}$ | 17 x 25                               | 2     | 30.0        | 8.2              |



## Angel Food/Tube Cake Pans

Aluminum

| Item # |        | Description                                  | Mould Dimensions, in. |                 |                  | Weight Each, lb. | Tube Dimensions, in. |                 |                 |
|--------|--------|--|-----------------------|-----------------|------------------|------------------|----------------------|-----------------|-----------------|
| Plain  | Glazed |  | Top Inside            | Btm. Out.       | Depth            |                  | Top Inside           | Btm. Inside     | Depth           |
| 46500  | 46505  | 15 gauge, solid bottom, nesting ring in tube | 7 $\frac{1}{2}$       | 7               | 2 $\frac{3}{4}$  | 0.8              | 1 $\frac{3}{4}$      | 2 $\frac{5}{8}$ | 3               |
| 46530  | 46535  | 15 gauge, solid bottom, nesting ring in tube | 7 $\frac{1}{2}$       | 6 $\frac{7}{8}$ | 3 $\frac{1}{16}$ | 0.8              | 2 $\frac{9}{16}$     | 3 $\frac{1}{8}$ | 3 $\frac{1}{8}$ |
| 46540  | 46545  | 15 gauge, solid bottom, nesting ring in tube | 9 $\frac{1}{4}$       | 8               | 4                | 1.2              | 2 $\frac{1}{4}$      | 3               | 4 $\frac{1}{8}$ |
| 46550  | 46555  | 15 gauge, solid bottom, nesting ring in tube | 9 $\frac{1}{2}$       | 8 $\frac{1}{4}$ | 4                | 1.3              | 2 $\frac{3}{8}$      | 3 $\frac{1}{8}$ | 4 $\frac{1}{8}$ |
| 46560  | 46565  | 15 gauge, solid bottom, nesting ring in tube | 10                    | 9 $\frac{1}{4}$ | 3 $\frac{3}{4}$  | 1.5              | 3 $\frac{1}{4}$      | 4               | 4 $\frac{1}{2}$ |



## Custom Embossed Pans

You don't have to order thousands of pans to take advantage of our custom embossing services. Contact Chicago Metallic today to request pans stamped with your logo or other custom design.





# Cake & Pie Pans

## Spring Form Cake Pans High strength aluminum alloy



| Item # | Description                                      | Overall Dimensions, in. |       | Weight Each, lb. |
|--------|--|-------------------------|-------|------------------|
|        |  | Top Inside              | Depth |                  |
| 40406  | 0.030", high strength, includes removable bottom | 6                       | 3     | 0.6              |
| 40408  | 0.030", high strength, includes removable bottom | 8                       | 3     | 0.8              |
| 40409  | 0.030", high strength, includes removable bottom | 9                       | 3     | 0.8              |
| 40410  | 0.030", high strength, includes removable bottom | 10                      | 3     | 0.8              |
| 40412  | 0.030", high strength, includes removable bottom | 12                      | 3     | 1.2              |

## Round Cake Pans Aluminized steel



| Item # |        | Description                  | Overall Dimensions, in. |       | Weight Each, lb. |
|--------|--------|------------------------------|-------------------------|-------|------------------|
| Plain  | Glazed |                              | Top Inside              | Depth |                  |
| 41010  | 41018  | 26 gauge, straight sidewalls | 10                      | 1     | 0.8              |
| 41210  | 41215  | 26 gauge, straight sidewalls | 12                      | 1     | 1.0              |
| 41400  | 41405  | 22 gauge, straight sidewalls | 14                      | 1     | 1.8              |
| 41610  | 41615  | 22 gauge, straight sidewalls | 16                      | 1     | 2.2              |
| 41810  | 41815  | 22 gauge, straight sidewalls | 18                      | 1     | 2.8              |
| 46150  | 46155  | 26 gauge, straight sidewalls | 6                       | 1½    | 0.4              |
| 48050  | 48055  | 26 gauge, straight sidewalls | 8                       | 1½    | 0.7              |
| 49152  | 49155  | 26 gauge, straight sidewalls | 9                       | 1½    | 0.8              |
| 46020  | 46025  | 26 gauge, straight sidewalls | 6                       | 2     | 0.5              |
| 47020  | 47026  | 26 gauge, straight sidewalls | 7                       | 2     | 0.6              |
| 48020  | 48025  | 26 gauge, straight sidewalls | 8                       | 2     | 0.8              |
| 49020  | 49025  | 26 gauge, straight sidewalls | 9                       | 2     | 0.9              |
| 41020  | 41025  | 26 gauge, straight sidewalls | 10                      | 2     | 1.1              |
| 41220  | 41225  | 26 gauge, straight sidewalls | 12                      | 2     | 1.4              |
| 41420  | 41425  | 22 gauge, straight sidewalls | 14                      | 2     | 2.3              |

## Specialty Cake Pans See description for material specifications.



| Item #     | Description   | Overall Dimensions, in.   |                                 | Weight Each, lb. | Tube Dimensions, in. |             |       |
|------------|---|---|---------------------------------|------------------|----------------------|-------------|-------|
| Glazed     |   | Top Inside  | Depth                           |                  | Top Inside           | Btm. Inside | Depth |
| Turks Head |   |   |                                 |                  |                      |             |       |
| 47605      | .060" aluminum, wire in rim, fluted sidewalls-round bottom    | 6½  | 2 <sup>15</sup> / <sub>16</sub> | 0.6              | 1 diameter           | 2 diameter  | 3¾    |
| Sand Torte |   |   |                                 |                  |                      |             |       |
| 47645      | .060" aluminum, wire in rim, ribbed sidewalls-embossed bottom | 7½  | 3¼                              | 0.6              | 1¾ diameter          | 2⅝ diameter | 3     |
| Heart      |   |   |                                 |                  |                      |             |       |
| 48105      | 26 gauge aluminized steel                                     | 8 <sup>13</sup> / <sub>16</sub> x 8 <sup>3</sup> / <sub>8</sub> | 2                               | 0.8              |                      |             |       |
| Lava Cake  |   |   |                                 |                  |                      |             |       |
| 40575      | 22 gauge aluminized steel, curled rim, fluted side walls      | 5¾  | 2 <sup>1</sup> / <sub>16</sub>  | 0.5              | 1⅝                   | 1⅝          | 1¼    |




## Mini-Easter Egg/Mini-Football Cake Pan Set Includes top and bottom pans

| Item # | Description           | Arrangement | Mould Dimensions, in. |            |       | Weight Per Set, lb. | Overall Size, in. |
|--------|-----------------------|-------------|-----------------------|------------|-------|---------------------|-------------------|
|        |                       |             | Top Inside            | Btm. Out.  | Depth |                     |                   |
| 47255  | 22 gauge, wire in rim | 5 rows of 5 | 2½ x 1½               | Elliptical | 1⅞    | 7.7                 | 12⅞ x 17⅞         |



## Easter Egg/Football Cake Pans Aluminized steel

| Item #    | Description           | Arrangement | Mould Dimensions, in. |           |       | Weight Each, lb. | Overall Size, in. |
|-----------|-----------------------|-------------|-----------------------|-----------|-------|------------------|-------------------|
| Glazed    |                       |             | Top Inside            | Btm. Out. | Depth |                  |                   |
| Small Egg |                       |             |                       |           |       |                  |                   |
| 47685     | 26 gauge, wire in rim | 3 rows of 4 | Elliptical            | 1¾        | 3.3   | 3.3              | 9⅝ x 17⅝          |
| Large Egg |                       |             |                       |           |       |                  |                   |
| 47695     | 26 gauge, wire in rim | 1 row of 3  | Elliptical            | 2⅛        | 3.5   | 3.5              | 9⅞ x 19¾          |



## Allergen Management Round Cake Pan Aluminized steel with 265U colored DuraShield® non-stick coating

| Item #      | Description                              | Top Inside, in. | Btm. Out., in. | Depth, in. | Weight Each, lb. |
|-------------|--|-----------------|----------------|------------|------------------|
| DuraShield® |  |                 |                |            |                  |
| 68050       | Round Cake Pan, 22 gauge, straight walls | 8               | 8              | 1½         | 0.7              |



## Pie Pans Sold by the gross only - 144 min.

| Item # | Description    | Top Inside, in. | Btm. Out., in. | Depth, in. | Weight per Gross, lb. |
|--------|----------------|-----------------|----------------|------------|-----------------------|
| 41509  | .011" aluminum | 7⅞              | 6⅞             | 1⅞         | 14.4                  |
| 41110  | .011" tin      | 9               | 7½             | 1          | 43.2                  |
| 48110  | .011" aluminum | 8⅞              | 7⅞             | 1⅞         | 10.2                  |



## Pie Pan, Deep Dish Aluminized steel

| Item # | Description          | Top Inside, in. | Btm. Out., in. | Depth, in. | Weight Each, lb. |
|--------|----------------------|-----------------|----------------|------------|------------------|
| 23100  | 22 gauge, curled rim | 9               | 6⅞             | 1½         | 1.0              |



# Bundy Professional Bakeware

## Cake Pans Aluminized steel



| Item #           | Description                                | Mould Dimensions, in. |           |       | Weight Each, lb. | Overall Size, in. |
|------------------|--|-----------------------|-----------|-------|------------------|-------------------|
| Glazed           |  | Top Inside            | Btm. Out. | Depth |                  |                   |
| Square Cake      |  |                       |           |       |                  |                   |
| 21300            | 22 gauge, folded construction, wire in rim | 8 x 8                 | 7¾ x 7¾   | 2¼    | 2.0              | 8⅞ x 8⅞           |
| 21500            | 22 gauge, folded construction, wire in rim | 9 x 9                 | 8¾ x 8¾   | 2¼    | 2.2              | 9⅞ x 9⅞           |
| Rectangular Cake |  |                       |           |       |                  |                   |
| 21100            | 22 gauge, folded construction, wire in rim | 9 x 13                | 8¾ x 12¾  | 2     | 2.3              | 9⅞ x 13⅞          |



## Mini-Fluted Cake Pan Aluminized steel

| Item # | Description          | Arrangement | Volume, oz. | Mould Dimensions, in.         |                               |                               | Centers, in.                  |                                | Weight Each, lb. | Overall Size, in.   |
|--------|----------------------|-------------|-------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|--------------------------------|------------------|---|
|        |                      |             |             | Top Inside                    | Btm. Out.                     | Depth                         | L                             | W                              |                  |   |
| 26200  | 26 gauge, curled rim | 4 rows of 3 | 3.0         | 2 <sup>3</sup> / <sub>4</sub> | 2 <sup>5</sup> / <sub>8</sub> | 1 <sup>1</sup> / <sub>4</sub> | 3 <sup>1</sup> / <sub>3</sub> | 3 <sup>5</sup> / <sub>16</sub> | 2.2              | 11 <sup>1</sup> / <sub>8</sub> x 15 <sup>3</sup> / <sub>4</sub> |



## Mini-Swirl Cake Pan Aluminized steel

| Item # | Description          | Arrangement | Volume, oz. | Mould Dimensions, in.          |                               |                                 | Centers, in.                  |                               | Weight Each, lb. | Overall Size, in.   |
|--------|----------------------|-------------|-------------|--------------------------------|-------------------------------|---------------------------------|-------------------------------|-------------------------------|------------------|---|
|        |                      |             |             | Top Inside                     | Btm. Out.                     | Depth                           | L                             | W                             |                  |   |
| 26300  | 26 gauge, curled rim | 3 rows of 2 | 6.1         | 3 <sup>1</sup> / <sub>16</sub> | 2 <sup>1</sup> / <sub>2</sub> | 1 <sup>25</sup> / <sub>32</sub> | 4 <sup>1</sup> / <sub>4</sub> | 4 <sup>1</sup> / <sub>4</sub> | 2.2              | 11 <sup>1</sup> / <sub>8</sub> x 15 <sup>3</sup> / <sub>4</sub> |



## Mini-Swirl/Turban/Beehive Cake Pan Aluminized steel

| Item # | Description          | Arrangement | Volume, oz. | Mould Dimensions, in.          |           |                                 | Centers, in.                  |                               | Weight Each, lb. | Overall Size, in.   |
|--------|----------------------|-------------|-------------|--------------------------------|-----------|---------------------------------|-------------------------------|-------------------------------|------------------|---|
|        |                      |             |             | Top Inside                     | Btm. Out. | Depth                           | L                             | W                             |                  |   |
| 25600  | 26 gauge, curled rim | 3 rows of 2 | 6.1         | 3 <sup>1</sup> / <sub>16</sub> | Varies    | 1 <sup>13</sup> / <sub>16</sub> | 4 <sup>1</sup> / <sub>4</sub> | 4 <sup>1</sup> / <sub>4</sub> | 2.2              | 11 <sup>1</sup> / <sub>8</sub> x 15 <sup>3</sup> / <sub>4</sub> |



## Heavy Duty Pie Pan, Deep Dish Aluminized steel

| Item # | Description          | Mould Dimensions, in. |                                 |                               | Weight Each, lb. | Overall Size, in.                  |
|--------|----------------------|-----------------------|---------------------------------|-------------------------------|------------------|------------------------------------|
|        |                      | Top Inside            | Btm. Out.                       | Depth                         |                  |                                    |
| 23100  | 22 gauge, curled rim | 9                     | 6 <sup>15</sup> / <sub>16</sub> | 1 <sup>1</sup> / <sub>2</sub> | 1.0              | 10 x 1 <sup>1</sup> / <sub>2</sub> |



## Mini-Cheesecake Pan Aluminized steel

| Item # | Description                            | Arrangement | Volume, oz. | Mould Dimensions, in.          |                                |                               | Centers, in.                  |   | Weight Each, lb. | Overall Size, in.   |
|--------|--|-------------|-------------|--------------------------------|--------------------------------|-------------------------------|-------------------------------|---|------------------|---|
|        |  |             |             | Top Inside                     | Btm. Out.                      | Depth                         | L                             | W |                  |   |
| 21700  | 26 gauge, includes 6 removable bottoms | 3 rows of 2 | 8.5         | 3 <sup>3</sup> / <sub>32</sub> | 3 <sup>1</sup> / <sub>32</sub> | 2 <sup>1</sup> / <sub>8</sub> | 3 <sup>5</sup> / <sub>8</sub> | 4 | 2.8              | 11 <sup>1</sup> / <sub>8</sub> x 15 <sup>3</sup> / <sub>4</sub> |
| 21706  | Replacement disks (6) for #21700       |             |             |                                |                                |                               |                               |   |                  |   |



# Bundy Professional Bakeware

**Bundy Professional Bakeware**, a line of bakeware, provides new pan designs in convenient sizes for smaller operations or new product introductions. These pans are made of aluminized steel and built to the same standards as our commercial bakeware line. **Every Bundy Professional Bakeware** pan is coated with **AMERICOAT® ePlus**, our proprietary silicone bakery release coating, and provides the best release performance in the industry.

Look for **Bundy Professional Bakeware** on the showroom shelves of your favorite bakery or food service dealer or ask them to place an order for you.



# Bundy Professional Bakeware

## Pecan Roll/Muffin Pan Aluminized steel



| Item # | Description          | Arrangement | Volume, oz. | Mould Dimensions, in. |                 |                  | Centers, in.    |                 | Weight Each, lb. | Overall Size, in.                   |
|--------|----------------------|-------------|-------------|-----------------------|-----------------|------------------|-----------------|-----------------|------------------|-------------------------------------|
|        |                      |             |             | Top Inside            | Btm. Out.       | Depth            | L               | W               |                  |                                     |
| 26500  | 26 gauge, curled rim | 3 rows of 2 | 7.1         | 3 $\frac{1}{16}$      | 2 $\frac{1}{2}$ | 1 $\frac{3}{16}$ | 4 $\frac{1}{4}$ | 4 $\frac{1}{4}$ | 2.2              | 11 $\frac{1}{8}$ x 15 $\frac{3}{4}$ |

## Madeleine Pan Aluminized steel



| Item # | Description          | Arrangement | Volume, oz. | Mould Dimensions, in. |           |               | Centers, in.      |                  | Weight Each, lb. | Overall Size, in.                   |
|--------|----------------------|-------------|-------------|-----------------------|-----------|---------------|-------------------|------------------|------------------|-------------------------------------|
|        |                      |             |             | Top Inside            | Btm. Out. | Depth         | L                 | W                |                  |                                     |
| 25400  | 22 gauge, curled rim | 4 rows of 4 | 1.0         | 3                     | 3         | $\frac{5}{8}$ | 3 $\frac{23}{64}$ | 2 $\frac{1}{16}$ | 1.7              | 11 $\frac{1}{8}$ x 15 $\frac{3}{4}$ |

## Donut Pan Aluminized steel



| Item # | Description          | Arrangement | Volume, oz. | Mould Dimensions, in. |                 |               | Centers, in. |                 | Weight Each, lb. | Overall Size, in.                   |
|--------|----------------------|-------------|-------------|-----------------------|-----------------|---------------|--------------|-----------------|------------------|-------------------------------------|
|        |                      |             |             | Top Inside            | Btm. Out.       | Depth         | L            | W               |                  |                                     |
| 25200  | 22 gauge, curled rim | 3 rows of 2 | 3.5         | 3 $\frac{1}{2}$       | 3 $\frac{3}{8}$ | $\frac{7}{8}$ | 4            | 4 $\frac{1}{8}$ | 2.1              | 11 $\frac{1}{8}$ x 15 $\frac{3}{4}$ |

## Jelly Roll Pans Aluminized steel



| Item # | Description           | Mould Dimensions, in.                |                                       |       | Weight Each, lb. | Overall Size, in.                     |
|--------|-----------------------|--------------------------------------|---------------------------------------|-------|------------------|---------------------------------------|
|        |                       | Top Inside                           | Btm. Out.                             | Depth |                  |                                       |
| 20700  | 22 gauge, wire in rim | 9 $\frac{5}{16}$ x 14 $\frac{1}{4}$  | 8 $\frac{5}{8}$ x 13 $\frac{9}{16}$   | 1     | 2.3              | 9 $\frac{13}{16}$ x 14 $\frac{3}{4}$  |
| 20800  | 22 gauge, wire in rim | 12 $\frac{5}{16}$ x 17 $\frac{1}{4}$ | 11 $\frac{5}{8}$ x 16 $\frac{9}{16}$  | 1     | 3.3              | 12 $\frac{13}{16}$ x 17 $\frac{3}{4}$ |
| 20900  | 22 gauge, wire in rim | 9 x 12 $\frac{1}{2}$                 | 8 $\frac{5}{16}$ x 11 $\frac{13}{16}$ | 1     | 1.8              | 9 $\frac{1}{2}$ x 13                  |

## Brownie Bite Pan Aluminized steel



| Item # | Description                                 | Arrangement | Vol., oz. | Mould Dimensions, in.                 |                                     |                  | Centers, in.    |                   | Weight Each, lb. | Overall Size, in.                   |
|--------|---|-------------|-----------|---------------------------------------|-------------------------------------|------------------|-----------------|-------------------|------------------|-------------------------------------|
|        |   |             |           | Top Inside                            | Btm. Out.                           | Depth            | L               | W                 |                  |                                     |
| 25300  | 26 gauge panel, 22 gauge moulds, curled rim | 5 rows of 4 | 1.8       | 1 $\frac{21}{32}$ x 1 $\frac{21}{32}$ | 1 $\frac{1}{16}$ x 1 $\frac{1}{16}$ | 1 $\frac{1}{32}$ | 2 $\frac{3}{8}$ | 2 $\frac{11}{16}$ | 3.0              | 11 $\frac{1}{8}$ x 15 $\frac{3}{4}$ |

## Fluted Tart Pan Aluminized steel



| Item # | Description          | Arrangement | Volume, oz. | Mould Dimensions, in. |                  |               | Centers, in. |                 | Weight Each, lb. | Overall Size, in.                   |
|--------|----------------------|-------------|-------------|-----------------------|------------------|---------------|--------------|-----------------|------------------|-------------------------------------|
|        |                      |             |             | Top Inside            | Btm. Out.        | Depth         | L            | W               |                  |                                     |
| 25500  | 22 gauge, curled rim | 3 rows of 2 | 7.2         | 4 $\frac{9}{16}$      | 4 $\frac{1}{16}$ | $\frac{7}{8}$ | 5            | 5 $\frac{3}{8}$ | 2.0              | 11 $\frac{1}{8}$ x 15 $\frac{3}{4}$ |

## Cookie Sheet Pans

| Item #<br>Glazed | Description               | Baking Surface, in.                 |                | Weight Each, lb. | Overall Size, in.      |
|------------------|---------------------------|-------------------------------------|----------------|------------------|------------------------|
|                  |                           | Overall                             | Thickness      |                  |                        |
| 20100            | 22 gauge aluminized steel | 8 $\frac{5}{8}$ x 13 $\frac{1}{4}$  | $\frac{1}{16}$ | 1.7              | 10 x 14                |
| 20300            | 22 gauge aluminized steel | 12 $\frac{5}{8}$ x 13 $\frac{1}{4}$ | $\frac{1}{16}$ | 2.3              | 14 x 14 $\frac{1}{16}$ |
| 20500            | 22 gauge aluminized steel | 12 $\frac{3}{8}$ x 17 $\frac{1}{4}$ | $\frac{1}{16}$ | 2.7              | 13 $\frac{3}{8}$ x 18  |



## Hearth Bread Pan

| Item #<br>Glazed | Description               | Mould Dimensions, in. |  |                 | Weight Each, lb. | Overall Size, in.                    |
|------------------|---------------------------|-----------------------|--|-----------------|------------------|--------------------------------------|
|                  |                           | Top Inside            | Btm. Out.                              | Depth           |                  |                                      |
| 24100            | 26 gauge aluminized steel | 5 $\frac{5}{8}$ x 12  | 5 $\frac{1}{8}$ x 11 $\frac{1}{2}$ x 3 | 2 $\frac{1}{2}$ | 1.7              | 6 $\frac{3}{16}$ x 12 $\frac{9}{16}$ |



## Italian Loaf Pan Aluminum

| Item #<br>Glazed | Description                  | Arrangement | Mould Dimensions, in. |           |                 | Weight Each, lb. | Overall Size, in. |
|------------------|------------------------------|-------------|-----------------------|-----------|-----------------|------------------|-------------------|
|                  |                              |             | Top Inside            | Btm. Out. | Depth           |                  |                   |
| 24200            | 18 gauge perforated aluminum | 2 Long      | 4                     | 16        | 1 $\frac{1}{8}$ | 1.3              | 8 x 16            |



## Mini-Loaf Pan Aluminized steel

| Item #<br>Glazed | Description                     | Arrangement | Volume, oz. | Mould Dimensions, in.             |                     |                 | Centers, in.    |                 | Weight Each, lb. | Overall Size, in.                   |
|------------------|---------------------------------|-------------|-------------|-----------------------------------|---------------------|-----------------|-----------------|-----------------|------------------|-------------------------------------|
|                  |                                 |             |             | Top Inside                        | Btm. Out.           | Depth           | L               | W               |                  |                                     |
| 25100            | 26 gauge panel, 22 gauge moulds | 4 rows of 2 | 5.1         | 2 $\frac{1}{2}$ x 3 $\frac{3}{8}$ | 2 x 3 $\frac{3}{8}$ | 1 $\frac{1}{4}$ | 3 $\frac{3}{8}$ | 4 $\frac{1}{2}$ | 2.0              | 11 $\frac{1}{8}$ x 15 $\frac{3}{4}$ |



## New England Hot Dog Bun Pan

| Item #<br>Glazed | Description               | Arrangement | Mould Dimensions, in.               |                     |                | Weight Each, lb. | Overall Size, in.                                     |
|------------------|---------------------------|-------------|-------------------------------------|---------------------|----------------|------------------|---|
|                  |                           |             | Top Inside                          | Btm. Out.           | Depth          |                  |   |
| 22100            | 26 gauge aluminized steel | 1 row of 10 | 1 $\frac{5}{16}$ x 4 $\frac{3}{16}$ | 1 x 4 $\frac{1}{8}$ | $\frac{3}{16}$ | 1.7              | 6 $\frac{1}{2}$ x 15 $\frac{1}{2}$ x 1 $\frac{1}{16}$ |








# Accessories

## Sheet Pan Dolly & Racks












| Item # | Description  | Weight Each, lb. |
|--------|--|------------------|
| 42580  | Dolly Truck, for 18" x 26" sheet pans, steel with 3" casters, dark green, can hold up to 800 lbs | 16               |

## Egg Omelet Ring with Handle

| Item # | Description  | Ring Size, in. | Weight Each, lb. | Overall size, in. |
|--------|--|----------------|------------------|-------------------|
| 48001  | 8" Black Non-Stick with 5" stainless steel wire handle | 1.7            | 0.7              | 0.7               |



## Manual Cake Filler & Replacement Parts

| Item # | Description   |   |
|--------|---|---|
| 10001  | Manual Cake Filler, 5 quart capacity, stainless steel | (Right image)   |
| 10003  | #3 Adjustment Pin, replacement part for model 10001   |    |
| 10004  | #4 Handle, replacement part for model 10001           |    |
| 10005  | #5 Nozzle, replacement part for model 10001           |    |
| 10006  | #6 Piston Assembly, replacement part for model 10001  |    |
| 10007  | #7 Split Roll Pin, replacement part for model 10001   |  |
| 10008  | #8 Spring, replacement part for model 10001           |  |
| 10009  | #9 Spring Bushing, replacement part for model 10001   |  |
| 10010  | #10 Thumbscrew, replacement part for model 10001      | (pictured together with item #10011 Wing Nut, below)                                  |
| 10011  | #11 Wing Nut, replacement part for model 10001        |  |
| 10012  | #5B Nozzle Nut, replacement part for model 10001      |  |





# Glazed Pan Use & Care Guidelines

For complete pan use and care guidelines for our **AMERICOAT® ePlus**, **DuraShield®** and **OptiShield®** coated and **BÄKALON** anodized pans, please visit our website, [cmbakeware.ca](http://cmbakeware.ca), and click on the Pan Use and Care link. Printed Use and Care cards are included in all factory shipments and are available upon request from [sales@cmbakeware.ca](mailto:sales@cmbakeware.ca).

## Daily Pan Use

### **Lubricate Pans:**

Apply a baking pan lubricant to the baking areas of the pan as needed. Bread products may only require lubricant before the first bake and after washing. Cake products will most likely require lubricant with every bake.

### **De-Pan Products Quickly:**

Baked products should be de-panned while the pan is still hot or warm. If baked products are allowed to cool in the pan, steam from the product will penetrate the glaze and may cause glaze lifting, premature glaze failure and damage to the pan's surface.

### **Do Not Scratch or Scrape Pans:**

Do not use metal utensils or other objects that could scratch the glaze. Deep scratches may cause surface corrosion on the pan.

## Daily Cleaning

### **Clean as You Go:**

Wiping still-warm pans with a clean towel or a towel that has pan lubricant on it usually provides adequate cleaning. Avoid pan washing whenever possible.

### **Wash with Mild Soap & Water:**


Commercial baking pans can be washed with pH-neutral products, but only when absolutely necessary. Do not use acidic cleansers, alkaline detergents or abrasive scrubbing pads. Use of these materials will cause the glaze to fail prematurely and may cause corrosion. Do not soak pans in water. Do not wash in automatic dishwashers.

### **Thoroughly Dry Pan Immediately After Washing:**

Warm ovens work best.

### **Once Dry, Store Pans Upside Down:**

Do not nest pans immediately after towel drying. Keep pans away from moist and humid storage environments. The best storage areas are dry, warm storage areas or still-warm ovens.



| Item # | Stock # | Page #     | Item # | Stock # | Page # | Item # | Stock # | Page # | Item # | Stock # | Page #   | Item # | Stock # | Page # | Item # | Stock # | Page # |
|--------|---------|------------|--------|---------|--------|--------|---------|--------|--------|---------|----------|--------|---------|--------|--------|---------|--------|
| 10001  | ————    | 37         | 40565  | 56S     | 20     | 41505  | 15      | 10     | 44690  | ————    | 8, 9, 11 | 46505  | 650     | 29     | 49155  | P9015   | 30     |
| 10003  | ————    | 37         | 40600  | 60      | 9      | 41509  | 1509G   | 31     | 44691  | 469P    | 8, 9     | 46520  | 652D    | 13     | 49160  | 916     | 27     |
| 10004  | ————    | 37         | 40605  | 60      | 9      | 41555  | B1552   | 9      | 44692  | 469PF   | 9        | 46525  | 652D    | 13     | 49163  | 916     | 27     |
| 10005  | ————    | 37         | 40690  | 69      | 8, 9   | 41610  | ————    | 26, 30 | 44693  | 469BK   | 9, 27    | 46530  | 653     | 29     | 49415  | 91-4L   | 21     |
| 10006  | ————    | 37         | 40691  | ————    | 8      | 41615  | ————    | 30     | 44694  | ————    | 9, 27    | 46535  | 653     | 29     | 50136  | ————    | 29     |
| 10007  | ————    | 37         | 40694  | ————    | 8, 9   | 41695  | B1690   | 25     | 44695  | 468C    | 22       | 46540  | 654     | 29     | 50624  | ————    | 29     |
| 10008  | ————    | 37         | 40695  | 69      | 8, 9   | 41800  | ————    | 10     | 44697  | 469P    | 8, 9     | 46545  | 654     | 29     | 50691  | ————    | 8, 9   |
| 10009  | ————    | 37         | 40698  | ————    | 8, 9   | 41805  | ————    | 10     | 44699  | ————    | 8, 9, 11 | 46550  | 655     | 29     | 50801  | ————    | 8, 9   |
| 10010  | ————    | 37         | 40700  | 70      | 9      | 41810  | ————    | 26, 30 | 44705  | 470D    | 17       | 46555  | 655     | 29     | 51060  | ————    | 28     |
| 10011  | ————    | 37         | 40800  | 80      | 8, 9   | 41815  | ————    | 30     | 44765  | B4476   | 21       | 46560  | 656     | 29     | 51065  | ————    | 28     |
| 10012  | ————    | 37         | 40801  | ————    | 9      | 41852  | ————    | 10, 27 | 44800  | B5011   | 11       | 46565  | 656     | 29     | 51224  | ————    | 29     |
| 20100  | ————    | 35         | 40804  | ————    | 8, 9   | 41854  | ————    | 10, 27 | 44801  | B5011   | 8, 11    | 46601  | 660D    | 14     | 52345  | B2413   | 18     |
| 20300  | ————    | 35         | 40805  | 80      | 8, 9   | 42345  | B2413   | 18     | 44808  | B5011   | 11       | 46605  | 660D    | 14     | 52435  | B2403   | 19     |
| 20500  | ————    | 35         | 40808  | ————    | 8, 9   | 42415  | B2410   | 19     | 44850  | 485P    | 11       | 46675  | ————    | 25     | 54699  | ————    | 9      |
| 20700  | ————    | 34         | 40850  | 85      | 10     | 42425  | B2402   | 18     | 44890  | 489P    | 8, 9     | 46925  | B6902   | 21     | 60561  | 56S     | 22     |
| 20800  | ————    | 34         | 40851  | 85P     | 10     | 42435  | B2403   | 19     | 44891  | ————    | 8, 9, 11 | 46990  | ————    | 25     | 60690  | 69      | 11     |
| 20900  | ————    | 34         | 40855  | 85      | 10     | 42445  | B2404   | 18     | 44895  | 498P    | 8, 9     | 46995  | ————    | 25     | 60800  | 80      | 11     |
| 21100  | ————    | 32         | 40857  | 85P     | 10     | 42465  | ————    | 19     | 44896  | ————    | 8, 9, 11 | 47005  | 470-35  | 17     | 60850  | ————    | 11     |
| 21300  | ————    | 32         | 40858  | ————    | 10     | 42495  | B2409   | 18     | 44945  | 49-4    | 21       | 47020  | P7020   | 30     | 62425  | B2402   | 19     |
| 21500  | ————    | 32         | 40904  | ————    | 9      | 42580  | ————    | 36     | 44955  | 49-5    | 21       | 47026  | P7020   | 30     | 65525  | 552D    | 17     |
| 21700  | ————    | 33         | 40908  | ————    | 9      | 42754  | ————    | 13     | 45031  | 05031   | 20       | 47125  | ————    | 24     | 68050  | P8015   | 31     |
| 21706  | ————    | 33         | 40910  | 91D     | 11     | 42755  | ————    | 13     | 45125  | ————    | 13       | 47255  | ————    | 31     | 69015  | ————    | 25     |
| 22100  | ————    | 35         | 40912  | 91D     | 11     | 42756  | ————    | 13     | 45128  | ————    | 13       | 47605  | B7060T  | 30     | 69035  | B5015   | 23     |
| 23100  | ————    | 31, 33     | 40917  | 91D     | 11     | 42865  | ————    | 14     | 45135  | B5013   | 11       | 47645  | B7064T  | 30     | 69100  | 910     | 26     |
| 24100  | ————    | 35         | 40920  | 92D     | 11     | 43025  | 03025   | 17     | 45138  | ————    | 11       | 47675  | ————    | 25     | 69120  | 912     | 26     |
| 24200  | ————    | 35         | 40922  | 92D     | 11     | 43026  | 03026   | 17     | 45195  | 519D    | 13       | 47685  | B7068F  | 31     | 70821  | ————    | 10     |
| 25100  | ————    | 14, 35     | 40927  | 92D     | 11     | 43035  | 303D    | 17     | 45225  | 522D    | 13       | 47695  | B7069   | 31     | 70824  | ————    | 10     |
| 25200  | ————    | 34         | 40930  | 93D     | 11     | 43038  | 303D    | 17     | 45245  | 542D    | 13       | 48001  | ————    | 37     | 75010  | ————    | 26     |
| 25300  | ————    | 14, 34     | 40940  | 94D     | 11     | 43045  | ————    | 14     | 45255  | 525D    | 13       | 48020  | P8020   | 30     | 75012  | ————    | 26     |
| 25400  | ————    | 34         | 40947  | 94D     | 11     | 43055  | 03055   | 12, 28 | 45265  | 526D    | 17       | 48025  | P8020   | 30     | 75140  | ————    | 26     |
| 25500  | ————    | 14, 34     | 40950  | 95      | 10     | 43215  | 321D    | 17     | 45285  | 528D    | 17       | 48050  | P8015   | 30     | 74145  | ————    | 26     |
| 25600  | ————    | 33         | 40952  | 95BK    | 10, 27 | 43375  | 337F    | 17     | 45295  | 529D    | 13       | 48055  | P8015   | 30     | 90810  | ————    | 26     |
| 26200  | ————    | 12, 28, 33 | 40954  | 95BK    | 10, 27 | 43385  | 338F    | 14     | 45305  | 530D    | 17       | 48105  | B8100   | 30     | 90815  | ————    | 26     |
| 26300  | ————    | 14, 33     | 40955  | 95      | 10     | 43395  | 339F    | 14     | 45355  | 535D    | 17       | 48110  | ————    | 31     | 91014  | ————    | 26     |
| 26500  | ————    | 17, 34     | 41002  | 01002   | 18     | 43515  | 351F    | 17     | 45435  | B5435   | 17       | 48514  | B8514-1 | 24     | 91015  | ————    | 26     |
| 30694  | ————    | 8          | 41005  | 01005   | 18     | 43555  | 355F    | 17     | 45445  | B5446   | 17       | 49011  | B5016   | 23     | 91060  | 9106    | 27     |
| 30698  | ————    | 8          | 41006  | 01006   | 18     | 43645  | 364D    | 17     | 45505  | B5018   | 23       | 49014  | ————    | 25     | 91065  | 9106    | 27     |
| 30850  | ————    | 8          | 41010  | P1010   | 26, 30 | 43695  | 369F    | 17     | 45515  | B5018W  | 23       | 49015  | ————    | 25     | 91068  | ————    | 27     |
| 30858  | ————    | 8          | 41018  | P1010   | 30     | 43698  | 369F    | 17     | 45525  | 552D    | 13       | 49020  | P9020   | 30     | 91090  | 9109    | 27     |
| 40232  | ————    | 29         | 41020  | P1020   | 30     | 44065  | B4406   | 21     | 45575  | 557D    | 13       | 49025  | P9020   | 30     | 91095  | 9109    | 27     |
| 40237  | ————    | 29         | 41025  | P1020   | 30     | 44145  | 40-4    | 21     | 45605  | 560D    | 13       | 49034  | B5017   | 23     | 91098  | ————    | 27     |
| 40406  | 8406    | 30         | 41031  | 01031   | 9      | 44215  | 421F    | 17     | 45635  | 56-3    | 21       | 49035  | B5015   | 23     | 91100  | 9110    | 27     |
| 40408  | 8408    | 30         | 41052  | 01052   | 19     | 44235  | 42-3    | 21     | 45642  | 56-4    | 21       | 49036  | B5019   | 23     | 91105  | 9110    | 27     |
| 40409  | 8409    | 30         | 41053  | ————    | 19     | 44245  | 42-4    | 21     | 45645  | 564D    | 17       | 49043  | ————    | 23     | 91108  | ————    | 27     |
| 40410  | 8410    | 30         | 41055  | ————    | 19     | 44255  | 42-5    | 21     | 45655  | 56-5    | 21       | 49053  | ————    | 23     | 91120  | 9112    | 27     |
| 40411  | ————    | 20         | 41058  | ————    | 19     | 44305  | 430D    | 17     | 45725  | 572D    | 14, 25   | 49063  | ————    | 23     | 91125  | 9112    | 27     |
| 40412  | 8412    | 30         | 41065  | B4106   | 20     | 44365  | 464     | 22     | 45727  | 572DS   | 14, 25   | 49100  | 910     | 27     | 91128  | ————    | 27     |
| 40415  | ————    | 20         | 41110  | 1110B   | 31     | 44405  | B4440   | 22     | 45755  | 572-D12 | 14, 25   | 49103  | 910     | 27     | 91130  | 9113    | 27     |
| 40421  | ————    | 20         | 41145  | 11-4    | 22     | 44515  | 451D    | 17     | 45990  | ————    | 25       | 49108  | ————    | 27     | 91135  | 9113    | 27     |
| 40425  | 42S     | 20         | 41210  | ————    | 26, 30 | 44555  | 455D    | 17     | 45995  | ————    | 25       | 49110  | 91S     | 20     | 91138  | ————    | 27     |
| 40434  | ————    | 19         | 41215  | ————    | 30     | 44575  | B4572   | 21     | 46020  | P6020   | 30       | 49115  | 91S     | 20     | 91140  | 9114    | 27     |
| 40450  | 45      | 10         | 41220  | P1220   | 30     | 44585  | B4485   | 21     | 46025  | P6020   | 30       | 49120  | 912     | 27     | 91145  | 9114    | 27     |
| 40452  | 45BK    | 10, 27     | 41225  | P1220   | 30     | 44615  | 461S    | 22     | 46120  | 612D    | 13       | 49123  | 912     | 27     | 91148  | ————    | 27     |
| 40454  | ————    | 10, 27     | 41400  | P1410   | 26, 30 | 44635  | 461     | 22     | 46125  | 612D    | 13       | 49128  | ————    | 27     | 91150  | 9115    | 27     |
| 40455  | 45      | 10         | 41405  | P1410   | 30     | 44645  | 461C    | 22     | 46150  | P6015   | 30       | 49140  | 914     | 27     | 91155  | 9115    | 27     |
| 40575  | ————    | 30         | 41420  | P1420   | 30     | 44650  | 464S    | 22     | 46155  | P6015   | 30       | 49143  | 914     | 27     | 91158  | ————    | 27     |
| 40491  | 49S     | 20         | 41425  | P1420   | 30     | 44655  | 464SC   | 22     | 46351  | ————    | 19       | 49145  | 91-4    | 21     | 91160  | 9116    | 27     |
| 40495  | 49S     | 20         | 41465  | ————    | 21     | 44660  | 461SC   | 22     | 46465  | 464C    | 22       | 49148  | ————    | 27     | 91165  | 9116    | 27     |
| 40561  | 56S     | 20         | 41500  | 15      | 10     | 44685  | 468B    | 22     | 46500  | 650     | 29       | 49152  | P9015   | 30     |        |         |        |



# Chicago Metallic Bakeware

**Commercial Baking Pans**

**1502 North Central Avenue  
Humboldt, Tennessee 38343-1798 USA**

**Tel: 731.824.4130 | Fax: 731.784.5404  
Toll Free: 1.800.323.3966, Ext. 130**

**[cmbakeware.com](http://cmbakeware.com)  
[customerservice@cmbakeware.com](mailto:customerservice@cmbakeware.com)**