

MULTIDROP JUNIOR




Multidrop is a multi-purpose depositor machine.

Computer touch screen is suitable to create a huge range of biscuits, butter cookies, shortbread, lady fingers, genoise puff creams, and many other products.

ALL MACHINES ARE EQUIPPED WITH:

- s/s frame; compact dimensions
- easily detachable table
- hard dough head hdd with stainless steel rollers, aluminum built-in head shoulders and plastic bushes
- head easy to disassemble and wash
- hard and soft dough heads are allowed to be fitted according with different kinds of products
- touch screen control, with capacitive graphic colour display tft 7" 800x480 pixel
- "CE" compliance certificate



	Trays size		Hopper capacity	Strokes		Tension	Power	Weight
	Width	Max. Length		Depositor	Wire cut			
	mm	mm		n°/min.	n°/min.			
JUNIOR 4046	400-460	700	35	20	30	400/3N~/50	1,3	200

Max strokes/min. related to average 1 sec. rollers head rotation

CONFIGURATIONS

✓ DI SERIE / STANDARD • OPTIONAL / OPTIONAL - NON DISPONIBILE / NOT AVAILABLE	JUNIOR 40/46				
	FE	FET	FR	FL	FXL
TIPO PRODOTTI/STAMPI - PRODUCT/DIE TYPE					
Colato tondo fisso - stampo fisso (CTF) <i>Round deposited product - Fixed die (CTF)</i>	✓	✓	✓	✓	✓
Colato tondo girato - stampo girevole (CTG) <i>Round deposited product - Twisting die (CTG)</i>	-	-	✓	✓	✓
Colato lungo fisso - stampo fisso (CLF) <i>Long deposited product - Fixed die (CLF)</i>	✓	✓	✓	✓	✓
Colato lungo girato - stampo girevole (CLG) <i>Long deposited product - Twisting die (CLG)</i>	-	-	✓	✓	✓
Fiamma / Colato multimovimento (F/CM) <i>Flame / Deposited multimovement (F/CM)</i>	-	-	-	-	✓
Taglio a filo (TF) <i>Wire Cut (TF)</i>	-	✓	-	✓	✓
FUNZIONI - FUNCTIONS					
Testata paste dure (HDD) con adattatori per paste morbide <i>Hard dough head (HDD) with soft dough adaptors</i>	✓	✓	✓	✓	✓
Testata paste morbide (SDD) <i>Soft dough head (SDD)</i>	•	•	•	•	•
Rotazione rulli testata con inverter <i>Head roller rotation by frequency converter</i>	✓	✓	✓	✓	✓
Avanzamento automatico padelle con inverter + encoder <i>Automatic tray feed by frequency converter + encoder</i>	✓	✓	✓	✓	✓
Posizionamento e movimento verticale del tavolo motorizzato automatico con encoder <i>Automatic, motorized vertical positioning and movement of the table by encoder</i>	✓	✓	✓	✓	-
Posizionamento e movimento verticale del tavolo motorizzato automatico con encoder + inverter <i>Automatic, motorized vertical positioning and movement of the table by encoder + frequency converter</i>	-	-	-	-	✓
Rotazione bocchette motorizzata con inverter <i>Nozzle motorized rotation by frequency converter</i>	-	-	✓	✓	-
Rotazione bocchette motorizzata con inverter + encoder + azzeramento <i>Nozzle motorized rotation by frequency converter + encoder + reset</i>	-	-	-	-	✓
Taglio filo <i>Wire cut system</i>	-	✓	-	✓	✓
Taglio filo con inverter <i>Wire cut system with frequency converter</i>	-	•	-	•	•
Back & Forth Drive System	-	-	-	-	✓